

# Hyde Granulator Knives

PLASTICS GRANULATING

CUTTING EDGE  
SOLUTIONS



***Hyde Industrial Blade Solutions – Solutions You Can Count On!™***

54 Eastford Rd., Southbridge, MA 01550 • [www.hydeblades.com](http://www.hydeblades.com)  
Phone: 800-872-4933 or 508-764-4344 • Fax: 508-764-8172 • [info@hydeblades.com](mailto:info@hydeblades.com)

**HYDE™**  
Industrial Blade Solutions

### INDEX OF BRANDS

|                                    |              |                      |              |
|------------------------------------|--------------|----------------------|--------------|
| Alpine                             | Page 3       | Getecha              | Page 19 - 20 |
| Amacoil (Polymer/Rapid)            | Page 3       | Gloucester (Gloenco) | Page 20 - 21 |
| Avian                              | Page 3       | Granutec             | Page 21 - 24 |
| Ball & Jewell (Sterling)           | Page 4 - 5   | Granutech Grizzly    | Page 24      |
| Barclay Shredder                   | Page 6       | Herbold              | Page 24 - 25 |
| Black Friar                        | Page 6       | Hydracalm            | Page 25      |
| Buss Condux                        | Page 6       | MTB                  | Page 26      |
| CMG                                | Page 6       | Nelmor               | Page 26 - 30 |
| Columbus McKinnon (CM)             | Page 7       | Pagani               | Page 30      |
| Conair Martin / Wortex             | Page 7 - 9   | Pallman              | Page 30 - 31 |
| Cumberland                         | Page 9 - 15  | Polymer (Amacoil)    | Page 31 - 34 |
| Cumberland Wireline                | Page 15      | Preverio             | Page 34 - 35 |
| Dreher                             | Page 15      | Process Control      | Page 35      |
| Econogrind                         | Page 15      | Rapid                | Page 36 - 37 |
| Eldan                              | Page 15 - 16 | Rotogran             | Page 37 - 38 |
| Entoleter (Alsteele)               | Page 16 - 18 | Triple S             | Page 38      |
| Foremost                           | Page 18 - 19 | Zeno                 | Page 38      |
| Request For Quotation Form Page 39 |              |                      |              |

### EXPLANATION OF ABBREVIATIONS

|      |                 |       |                 |
|------|-----------------|-------|-----------------|
| B    | BED             | K     | KNIFE           |
| BA   | BACK ANGLE      | KE    | KEEN EDGE       |
| BK   | BACK            | LD    | LAND            |
| BLNK | BLANK           | LH    | LEFT HAND       |
| DB   | DRAW BACK HOLES | N-C/B | NO COUNTER BORE |
| DEG  | DEGREE          | N     | NO HOLES/SLOTS  |
| DNST | DOWN STROKE     | P     | PELLETIZER      |
| EXT  | EXTENDED        | R     | ROTOR           |
| FS   | FRONT SHIELD    | RAD   | RADIAL          |
| H    | HOLES           | RH    | RIGHT HAND      |
| HG   | HOLLOW GROUND   | RS    | REAR SHIELD     |
| HK   | HOOK            | R SUP | REAR SUPPORT    |
| HLDR | HOLDER          | S     | SLOTS           |
| HS   | HIGH SHEAR      | SA    | STEEP ANGLE     |
| INST | INSERT          | STD   | STANDARD        |

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                          | OEM PART #      | D&S PART # | KNIFE    | QTY | L      | H     | W     | HOLE/<br>SLOT |
|--------------------------------|-----------------|------------|----------|-----|--------|-------|-------|---------------|
| <b>ALPINE</b>                  |                 |            |          |     |        |       |       |               |
| RO 40/63                       | 104167          | 30-8634    | R CENTER | 10  | 8.268  | 3.543 | 0.787 | 2S            |
| RO 40/63                       | 104166          | 30-8635    | RRH      | 5   | 8.268  | 3.543 | 0.787 | 2S            |
| RO 40/63                       | 104168          | 30-8636    | RLH      | 5   | 8.268  | 3.543 | 0.787 | 2S            |
| <b>AMACOIL (POLYMER/RAPID)</b> |                 |            |          |     |        |       |       |               |
| 8X8                            | 10A001368-B     | 30-7551    | R HS     | 3   | 7.875  | 2.375 | 0.375 | 2H            |
|                                | AO-808-0082-3   | 30-6694    | R HS     | 3   | 7.938  | 2.375 | 0.375 | 5H            |
| ALL                            | AO-808-0002-2   | 30-6507    | B        | 2   | 7.875  | 1.750 | 0.375 | 3S            |
|                                | AO-808-0001-2   | 30-6506    | R HS     | 2   | 7.625  | 2.375 | 0.375 | 5H            |
| 10X10                          | HMG-1010-0012-3 | 30-6508    | R HS     | 3,4 | 9.625  | 3.500 | 0.500 | 2S            |
|                                | XA-04-00586-4   | 30-6421    | R HS     | 3   | 9.750  | 2.750 | 0.500 | 6H            |
|                                | XA-04-00136-3   | 30-6298    | R HS     | 3   | 9.625  | 2.750 | 0.500 | 6H            |
| ALL                            | XA-01-00137-3   | 30-6125    | B        | 2   | 9.875  | 2.000 | 0.500 | 4S            |
| 14X15                          | GU-1415-0082-3  | 30-6539    | R HS     | 5   | 14.500 | 3.875 | 0.625 | 4H            |
|                                | GU-1427-0004-3  | 30-6510    | R HS     | 2   | 14.625 | 3.875 | 0.625 | 5H            |
|                                | GU-1415-0016-3  | 30-6540    | B        | 2   | 14.875 | 2.500 | 0.625 | 5S            |
| 14X21                          | GU-1421-0071-3  | 30-6500    | R HS     | 5   | 20.500 | 3.875 | 0.625 | 5H            |
|                                | GU-1421-0002-3  | 30-7667    | R HS     | 8   | 11.750 | 3.875 | 0.625 | 4H            |
|                                | GU-1421-0018-3  | 30-6541    | B        | 4   | 10.438 | 2.500 | 0.625 | 4S            |
| 14X27,16X27                    | GU-1427-0170-3  | 30-6435    | R HS     | 10  | 13.312 | 3.875 | 0.625 | 3H            |
|                                | GU-1427-0005-3  | 30-6509    | B        | 4   | 13.437 | 2.500 | 0.625 | 5S            |
|                                | GU-1427-0004-3  | 30-6510    | R HS     | 8   | 14.625 | 3.875 | 0.625 | 5H            |
| 26X52                          | HMG-2652-0035-4 | 40-7222    | R HS     | 10  | 23.375 | 5.000 | 1.000 | 4H            |
|                                | HMG-2652-0023-4 | 40-7223    | B        | 4   | 25.875 | 3.000 | 1.000 | 9S            |
| <b>AVIAN</b>                   |                 |            |          |     |        |       |       |               |
| 60 X 80 ZG 6080                |                 | 30-9107    | R        | 8   | 15.495 | 3.750 | 0.866 | 4S            |
| 60 X 80 (6080)                 |                 | 30-9138    | B        | 2   | 31.500 | 4.000 | 0.750 | 8S            |
| Avian 8120                     |                 | 30-9022    | R        | 14  | 22.350 | 3.825 | 0.870 | 4S            |
|                                |                 | 30-9023    | B        | 2   | 45.156 | 3.934 | 0.870 | 10S           |
| Avian 80/100                   |                 | 30-9098    | R        | 14  | 19.016 | 3.987 | 0.866 | 4S            |
|                                |                 | 30-9099    | B        | 2   | 38.503 | 3.937 | 0.866 | 10S           |

*Hyde Industrial Blade Solutions — Solutions You Can Count On!™*

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                               | OEM PART #   | D&S PART # | KNIFE   | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------------|--------------|------------|---------|-----|--------|-------|-------|---------------|
| <b>BALL &amp; JEWELL (STERLING)</b> |              |            |         |     |        |       |       |               |
| HAF68, BP68                         | 406.10008.01 | 30-8473    | R       | 2,3 | 7.970  | 2.750 | 0.500 | 2H            |
|                                     | 406.10108.01 | 30-8487    | B       | 2,3 | 8.000  | 2.000 | 0.500 | 3S            |
| MD-810, 8X10,M-110                  | 406.10610.01 | 30-7400    | R KE    | 3   | 10.000 | 2.750 | 0.500 | 2H            |
|                                     | 406.10710.01 | 30-7399    | B       | 2   | 10.000 | 2.000 | 0.500 | 3S            |
|                                     | 406.10812.01 | 30-8641    | R       |     | 12.000 | 2.880 | 0.750 | 2H            |
| 8X12, M-200                         | 580761-A     | 30-6383    | R KE CS | 3   | 12.000 | 2.750 | 0.625 | 2H            |
|                                     | 406.10212.01 | 30-8331    | R KE CB | 3   | 12.000 | 2.750 | 0.625 | 2H            |
|                                     | 580761-A     | 30-6384    | B       | 2   | 12.000 | 2.000 | 0.625 | 2S            |
|                                     | 406.10312.01 | 30-8490    | B       | 2   | 12.000 | 2.000 | 0.620 | 4S            |
| CG812                               | 406.13012.01 | 30-8471    | R       | 3   | 12.030 | 2.125 | 0.500 | 3H            |
|                                     | 406.13112.01 | 30-8472    | B       | 2   | 11.900 | 2.250 | 0.500 | 3S            |
| 12X12MD,MB-150                      | 30-8044      |            | R KE    | 3   | 12.000 | 2.063 | 0.500 | 3H            |
|                                     | 406.13212.01 | 30-8621    | R       | 3   | 12.060 | 2.880 | 0.750 | 2H            |
|                                     | 406.10912.01 | 30-8622    | B       | 2   | 12.000 | 2.060 | 0.750 | 4S            |
| 1012 Rotor                          | 406.00612.01 | 30-8863    | R       | 2   | 12.000 | 3.578 | 0.750 | 4H            |
|                                     | 406.00712.01 | 30-8864B   | B       | 1   | 12.000 | 2.750 | 0.750 | 4S            |
|                                     | 406.00712.01 | 30-8864F   | B       | 1   | 12.000 | 2.750 | 0.750 | 4S            |
| SC800                               |              | 30-8070    | B       | 2   | 15.938 | 2.063 | 0.750 | 5S            |
| CG1014                              | 30-9125      |            | R       | 3   | 14.000 | 2.875 | 0.750 | 3H            |
|                                     | 30-9126      |            | B       | 2   | 14.000 | 2.875 | 0.750 | 4S            |
| M-300, 8X16, 12X16, CG1216, HAF1216 | 406.10416.01 | 30-8396    | R       | 3   | 16.000 | 2.875 | 0.750 | 3H            |
|                                     | 406.10516.01 | 30-8397    | B       | 2   | 16.000 | 2.063 | 0.750 | 5S            |
| #2-18                               | 406.01519.01 | 30-8428    | R KE    | 5,6 | 18.000 | 5.250 | 0.875 | 2H            |
| MD16X40                             | 406.11020.01 | 30-8164    | R KE    | 4   | 20.000 | 2.880 | 0.750 | 3H            |
|                                     |              | 30-8165    | B       | 2   | 20.000 | 1.985 | 0.750 | 6S            |
| BP1620                              | 535880-1     | 30-8089    | RREV    | 3,5 | 19.875 | 3.250 | 0.500 | 5H            |
|                                     | 635077       | 30-9006    | B       | 2   | 20.134 | 2.677 | 0.500 | 7S            |
| BP1640                              | CA0833140100 | 30-9005LH  | RREV    | 3,5 | 19.965 | 3.220 | 0.375 | 5H            |
|                                     | CA0833140200 | 30-9005RH  | RREV    | 3,5 | 19.965 | 3.220 | 0.375 | 5H            |
|                                     | 635077       | 30-9006    | B       | 4   | 20.134 | 2.677 | 0.500 | 7S            |
| OLDMODEL 1/2                        | 584701-A     | 30-7840    | R REV   | 4   | 20.000 | 3.250 | 0.500 | 3H            |
|                                     | 584902-A     | 30-7841    | B       | 6   | 20.375 | 2.375 | 0.469 | N             |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                           | OEM PART #                      | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------------------------|---------------------------------|------------|-------|-----|--------|-------|-------|---------------|
| <b>BALL &amp; JEWELL (STERLING) - continued</b> |                                 |            |       |     |        |       |       |               |
| M-8X20, 16X20                                   | 406.11020.01                    | 30-8164    | R KE  | 4   | 20.000 | 2.880 | 0.750 | 3H            |
| CG1620, HAF1620                                 | 406.11920.01                    | 30-7669    | R KE  | 3   | 20.000 | 2.875 | 0.750 | 4H            |
|                                                 | 406.11220.01                    | 30-8559    | B     | 2   | 20.063 | 2.000 | 0.750 | 6S            |
| CG1820, HAF1820                                 | 406.12020.01                    | 30-8463    | B REV | 2   | 19.950 | 2.750 | 0.750 | 6S            |
| M400, 12X20                                     |                                 | 30-7432    | R KE  | 3   | 20.000 | 2.875 | 0.750 | 4H            |
|                                                 |                                 | 30-7668    | B     | 2   | 19.938 | 2.750 | 0.750 | 6S            |
| #1452 OLD MODEL                                 | 406.00821.01                    | 30-7628    | R REV | 4   | 20.000 | 3.560 | 0.750 | 3H            |
| HD1/2                                           | 406.00922.01                    | 30-7629    | B     | 1   | 20.375 | 3.125 | 0.750 | 4S            |
|                                                 | 406.00921.01                    | 30-7630    | B     | 3   | 20.375 | 3.125 | 0.750 | N             |
| MB-450                                          |                                 | 30-8287    | R KE  | 2   | 24.000 | 3.687 | 0.750 | 6H            |
|                                                 |                                 | 30-8286    | B     | 2   | 24.000 | 2.750 | 0.750 | 6S            |
| M-500,LT-1248                                   | 406.00424.01                    | 30-8479    | R     | 3   | 24.000 | 2.875 | 0.750 | 3H            |
|                                                 | 406.00524.01                    | 30-8496    | B     | 2   | 24.063 | 2.000 | 0.750 | 6S            |
| STEELMASTER                                     |                                 | 30-8145    | R KE  | 5   | 24.000 | 3.688 | 0.750 | 9H            |
|                                                 |                                 | 30-8146    | B     | 2   | 24.000 | 4.000 | 0.875 | 9S            |
| 1 1/2                                           | 406.01225.01                    | 30-7689    | R REV | 5   | 25.250 | 3.750 | 0.563 | 3H            |
|                                                 | 406.01325.01                    | 30-7690    | B     | 6   | 25.378 | 3.250 | 0.563 | N             |
| SG2026-5                                        | 406.11226.01                    | 30-8460    | R     | 5   | 25.870 | 2.875 | 0.750 | 4H            |
|                                                 | 406.11727.01                    | 30-8540    | R     | 3   | 25.870 | 2.815 | 0.750 | 7H            |
| HDA 16X26                                       | 406.11526.01                    | 30-7964    | R RAD | 3   | 25.875 | 3.500 | 0.750 | 10H           |
|                                                 | 406.11626.01                    | 30-7965    | B     | 4   | 26.000 | 4.000 | 0.875 | 10S           |
| SG20X26                                         | 406.11226.00 same as<br>30-8460 | 30-8482    | R KE  | 5   | 25.870 | 2.875 | 0.750 | 4H            |
|                                                 | 406.14126.01                    | 30-8252    | B     | 2   | 25.950 | 2.750 | 0.875 | 7S            |
|                                                 | 406.11426.01                    | 30-8491    | B     | 2   | 26.000 | 4.000 | 0.875 | 7S            |
|                                                 | 406.11426.00                    | 30-8491-02 | B     | 2   | 26.000 | 4.000 | 0.875 | 7S            |
| 2-28                                            |                                 | 30-7828    | R REV | 5   | 26.750 | 5.250 | 0.875 | 3H            |
|                                                 | Dwg. #585406-A                  | 30-8562    | R     | 5   | 26.750 | 5.250 | 0.875 | 3H            |
|                                                 |                                 | 30-7913    | B     | 6   | 26.875 | 4.750 | 0.875 | N             |
|                                                 | 406.01827.00                    | 30-8563    | B     | 6   | 26.875 | 4.750 | 0.875 | N             |
| 1632                                            |                                 | 30-8541    | R     |     | 31.875 | 2.875 | 0.750 | 5H            |
| 1632                                            |                                 | 30-8545    | B     |     | 32.000 | 4.000 | 0.875 | 8S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                     | OEM PART # | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|---------------------------|------------|------------|-------|-----|--------|-------|-------|---------------|
| <b>BARCLAY SHREDDER</b>   |            |            |       |     |        |       |       |               |
| 5 HOLE                    |            | 30-8964    | R     | 240 | 6.340  | 1.500 | 1.500 | 3H            |
| 7 HOLE                    |            | 30-8803    | R     | 240 | 6.374  | 2.917 | 1.000 | 5H & 2S       |
| 2.0 SECONDARY W/KEY       |            | 30-8811    | R     | 240 | 6.374  | 2.917 | 1.000 | 7H & 2S       |
| 4.9 PRIMARY W/KEY         |            | 30-8875    | R     | 48  | 6.340  | 2.000 | 1.500 | 3H            |
|                           |            | 30-8878    | R     | 240 | 6.340  | 1.500 | 1.500 | 3H            |
| <b>BLACK FRIAR</b>        |            |            |       |     |        |       |       |               |
|                           |            | 30-8813    | R REV |     | 22.905 | 4.937 | 0.625 | 6H            |
|                           |            | 30-8814    | B     |     | 24.000 | 2.500 | 0.625 | N             |
|                           |            | 30-8535    | R KE  |     | 35.375 | 5.812 | 1.000 | 8H            |
|                           |            | 30-8195    | R KE  |     | 31.375 | 5.812 | 1.000 | 8H            |
|                           |            | 30-8215    | B     |     | 35.875 | 4.500 | 1.000 | N             |
| <b>BUSS CONDUX ROTORS</b> |            |            |       |     |        |       |       |               |
|                           |            | 30-8312    | R KE  | 15  | 12.565 | 4.500 | 1.375 | 5H            |
|                           |            | 30-8821LH  | B     | 4   | 19.907 | 3.563 | 0.890 | 3S            |
|                           |            | 30-8821RH  | B     | 4   | 19.907 | 3.563 | 0.890 | 3S            |
| 300/600, CS300/600/N2     |            | 30-7095    | R     | 4   | 23.630 | 3.543 | 0.709 | 6S            |
|                           |            | 30-7094    | B     | 3   | 24.528 | 1.968 | 0.591 | N             |
|                           |            | 35-0619    | R     |     | 23.228 | 3.543 | 0.709 | 6S            |
|                           |            | 30-9210    | R     |     | 22.598 | 3.543 | 0.709 | 6S            |
|                           |            | 30-7279    | B     |     | 23.622 | 3.543 | 0.787 | 6S            |
| 800/1200                  |            | 30-9220    | R     |     | 23.619 | 3.543 | 0.893 | 6S            |
|                           |            | 30-9221    | B     |     | 23.515 | 3.543 | 0.761 | 6S            |
|                           |            | 30-9272    | R     | 6   | 31.496 | 3.543 | 0.787 | 8S            |
|                           |            | 30-9273    | B     | 4   | 31.496 | 3.700 | 0.787 | 5S            |
| 500/1000                  |            | 30-8780    | R     | 5   | 39.375 | 3.543 | 0.787 | 5S            |
|                           |            | 30-8781    | B     |     | 40.157 | 2.750 | 0.590 | N             |
| <b>CMG</b>                |            |            |       |     |        |       |       |               |
| Model S60/100             |            | 30-9130LH  | RREV  | 7   | 19.812 | 4.687 | 1.250 | 4H            |
| S60/150                   |            | 30-9130RH  | RREV  | 7   | 19.812 | 4.687 | 1.250 | 4H            |
|                           |            | 30-9131    | B     | 4   | 19.937 | 4.250 | 0.750 | 5S            |

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                         | OEM PART #   | D & S PART # | KNIFE | QTY | L     | H     | W     | HOLE/<br>SLOT |
|-------------------------------|--------------|--------------|-------|-----|-------|-------|-------|---------------|
| <b>COLUMBUS MCKINNON (CM)</b> |              |              |       |     |       |       |       |               |
| TIE BARS                      |              | 20-7216-1.6  |       |     | 1.580 | 0.750 | 0.370 | N             |
|                               |              | 20-7216-1.7  |       |     | 1.680 | 0.750 | 0.370 | N             |
|                               |              | 20-7216-1.8  |       |     | 1.780 | 0.750 | 0.370 | N             |
|                               |              | 20-7216-1.9  |       |     | 1.880 | 0.750 | 0.370 | N             |
|                               |              | 20-7216-2.0  |       |     | 1.980 | 0.750 | 0.370 | N             |
|                               |              | 20-7216-2.2  |       |     | 2.180 | 0.750 | 0.370 | N             |
| SHREDDER KNIVES               |              | 30-8849-04   |       | 336 | 4.715 | 1.600 | 0.865 | 3H            |
|                               |              | 30-8848-04   |       | 336 | 4.715 | 1.700 | 0.865 | 3H            |
|                               |              | 30-8693-04   |       | 336 | 4.715 | 1.800 | 0.865 | 3H            |
|                               |              | 30-8817-04   |       | 336 | 4.715 | 1.900 | 0.865 | 3             |
|                               |              | 30-8298-04   |       | 336 | 4.715 | 2.000 | 0.865 | 3             |
|                               |              | 30-8828-04   |       | 336 | 4.715 | 2.100 | 0.865 | 3             |
|                               |              | 30-8815-04   |       | 336 | 4.715 | 2.200 | 0.865 | 3             |
| WEAR PLATES                   | 2.2          | 30-8903LH    |       | 336 |       |       |       |               |
|                               | 2.2          | 30-8903RH    |       | 336 |       |       |       |               |
|                               | 2.0          | 30-8801RH    |       | 336 |       |       |       |               |
|                               | 2.0          | 30-8801LH    |       | 336 |       |       |       |               |
|                               | 1.8          | 30-8902LH    |       | 336 |       |       |       |               |
|                               | 1.8          | 30-8902RH    |       | 336 |       |       |       |               |
| CM LIBERATOR                  |              | 30-9265CNTR  | R     |     | 9.437 | 4.750 | 2.195 | NO            |
|                               |              | 30-9265END   | R     |     | 9.437 | 4.750 | 2.195 | NO            |
|                               |              | 30-9266      | B     |     | 8.510 | 3.150 | 1.886 | NO            |
|                               |              | 30-9268      | WP    |     | 9.429 | 9.720 | 1.000 | 4H            |
| <b>CONAIR MARTIN / WORTEX</b> |              |              |       |     |       |       |       |               |
| Bolt On Knife                 | KNF00038     | 30-8477      | R     |     | 2.602 | 2.617 | 0.695 | 2H            |
| JC-3,LP330                    | 1000-042-706 | 30-8217      | B     | 2   | 7.075 | 2.920 | 0.467 | 3S            |
| HG-9X10                       | 723-159-01   | 30-7119      | R KE  | 3   | 9.000 | 2.484 | 0.875 | 2H            |
|                               | 723-160      | 30-7039      | B     | 2   | 9.243 | 1.933 | 0.438 | 3S            |
| XL-15,XL-15L                  | 1215-042-968 | 30-8157      | B     | 4   | 9.640 | 2.905 | 0.590 | 3S            |
| JC-5                          | 1005-042-987 | 30-8219      | B     | 2   | 9.884 | 2.920 | 0.467 | 3S            |
| LP/JC810                      | KNF-00045    | 30-8606      | R     |     | 2.088 | 1.968 | 0.695 | 2H            |
| JC5, LP/JC810                 | KNF-00028    | 30-8480      | R     | 3   | 9.933 | 2.470 | 0.590 | 3H            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                     | OEM PART #            | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------------------|-----------------------|------------|-------|-----|--------|-------|-------|---------------|
| <b>CONAIR MARTIN / WORTEX - continued</b> |                       |            |       |     |        |       |       |               |
| ES-8X10                                   | 810-013-01            | 30-8129    | R KE  | 2   | 9.500  | 2.000 | 0.500 | 3H            |
|                                           | 810-012-01            | 30-8130    | B     | 2   | 9.930  | 2.000 | 0.500 | 3S            |
| JC-10L,LP500                              | 1010L-42-10L          | 30-8167    | B     | 4   | 10.387 | 2.860 | 0.471 | 3S            |
| HA-8X11                                   | 0908-042-987          | 30-8167    | B     | 2   | 10.387 | 2.860 | 0.471 | 3S            |
| FL-1216 #41                               | 1112-041-165          | 30-8249    | R KE  | 4   | 10.975 | 3.000 | 0.500 | 3H            |
| ES10X12                                   | 810-013-02            | 30-8131    | R KE  | 2   | 11.500 | 2.000 | 0.500 | 4H            |
|                                           | 810-012-02            | 30-8132    | B     | 2   | 11.930 | 2.000 | 0.500 | 4S            |
| 12X12-TF                                  | 712-071-01 1212-041   | *30-3078   | R KE  | 3   | 12.000 | 2.875 | 1.000 | 2H            |
| HG14X12                                   | 723-018 1212-042-5441 | 30-3077    | B     | 2   | 12.248 | 1.938 | 0.500 | 5S            |
| JC-5L,LP350                               | KNF-00016             | 30-8247    | R REV | 3   | 13.781 | 2.470 | 0.590 | 3H            |
|                                           | KNF-00001             | 30-8188    | B     | 2   | 13.750 | 2.320 | 0.470 | 4S            |
| LP/JC814                                  | KNF00045              | 30-8606    | R     | 21  | 2.088  | 1.968 | 0.695 | 2H            |
| LP/JC814                                  | KNF00050              | 30-8575    | R     | 3   | 13.836 | 2.470 | 0.590 | 3H            |
| JC-10,LP400                               | 1010-042-155          | 30-7887    | B     | 2   | 15.564 | 2.830 | 0.473 | 6S            |
| MS8X10                                    | 1481-042-787          | 30-8134    | B     | 2   | 15.950 | 2.870 | 0.706 | 3S            |
| LCJC 1016                                 | KNF00048              | 30-8557    | R     | 3   | 15.700 | 2.470 | 0.590 | 4H            |
| 1418                                      |                       | 30-8796    | R     | 3   | 17.475 | 3.785 | 0.750 | 3S            |
| MC-32H                                    | 2038-041-019          | 30-8152    | R KE  |     | 19.000 | 3.000 | 0.750 | 4H            |
|                                           | 2832-042-016          | 30-8203    | B     | 4   | 15.985 | 3.687 | 0.875 | 6S            |
|                                           | 1112-042-165          | 30-8281    | B     | 4   | 16.500 | 3.000 | 0.500 | 4S            |
| 20X20-HD,20X40-HD                         | 2000-041-020          | 30-8047    | R HS  | 3,6 | 19.968 | 4.339 | 0.875 | 4H            |
| LC/MC20, MC20                             | 2000-042-020          | 30-8048    | B     | 2,4 | 19.985 | 3.687 | 0.875 | 6S            |
| CONAIR/RAPID 1836 45/60                   |                       | 30-8869LH  | R LH  | 3   | 18.125 | 3.150 | 0.787 | 3S            |
|                                           |                       | 30-8869RH  | R RH  | 3   | 18.125 | 3.150 | 0.787 | 3S            |
| LC/MC20H,MC40H                            | 2840-041-020          | 30-8159    | R REV | 3,6 | 19.995 | 4.310 | 1.125 | 4H            |
| LC/MC40H                                  | 2000-042-020          | 30-8048    | B     | 2,4 | 19.985 | 3.687 | 0.875 | 6S            |
| 14X20TF;HG                                | 723-236-02            | 30-7074    | R KE  | 3   | 20.000 | 2.875 | 1.000 | 3H            |
| 1220?                                     | 723-237               | 30-6658    | B     | 2   | 20.248 | 1.938 | 0.500 | 8S            |
| HS2020D                                   | 0700-041-020          | 30-8288    | R KE  | 3   | 20.526 | 3.000 | 0.500 | 5H            |
|                                           | 0720-042-020          | 30-8289    | B     | 2   | 21.600 | 3.000 | 0.500 | 3S            |
| LP500,JC102                               | KNF-00017             | 30-8250    | R REV | 3   | 20.820 | 2.470 | 0.590 | 5H            |
| JC-1021                                   | KNF-00049             | 30-8574    | R     | 3   | 20.885 | 2.470 | 0.590 | 5H            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**



# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                                       | OEM PART #       | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------------------------------------|------------------|------------|-------|-----|--------|-------|-------|---------------|
| <b>CONAIR MARTIN / WORTEX - continued</b>                   |                  |            |       |     |        |       |       |               |
| XL-20                                                       | 1215-042-020     | 30-8102    | B     | 4   | 21.265 | 2.930 | 0.612 | 3S            |
| **MOST XL, JC AND LP M/C'S USE SEG-<br>MENTED TYPE ROTORS** | AKA 1220-042-020 | 30-8102    | B     | 2   | 21.265 | 2.930 | 0.612 | 3S            |
| 16X24-TF                                                    | 723-082-09       | 30-7385    | R KE  | 3   | 24.000 | 3.445 | 1.102 | 4H            |
| MS630                                                       | 1463-042-124     | 30-8208    | B     | 4   | 12.400 | 2.870 | 0.710 | 3S            |
| 20x50 Bed                                                   | 070-042-050      | 30-6750-LH | B LH  | 2   | 25.000 | 3.000 | 0.500 | 3S            |
| UP750                                                       | 070-042-051      | 30-6750-RH | B RH  | 2   | 25.000 | 3.000 | 0.500 | 3S            |
| 20X28-HD,20X56-HD                                           | 2028-041-028     | 30-7943    | R HS  | 3,6 | 27.965 | 4.339 | 0.875 | 5H            |
|                                                             | 2028-042-028     | 30-7942    | B     | 2,4 | 27.965 | 3.687 | 0.875 | 8S            |
| LC/MC-28H,<br>LC/MC56H                                      | 2828-041-028     | 30-8021    | R REV | 3,6 | 28.000 | 4.307 | 1.125 | 6H            |
|                                                             | 2056-041-008UG   | 30-8218    | R REV | 21  | 8.000  | 4.575 | 1.125 | 2H            |
|                                                             | 2028-042-028     | 30-7942    | B     | 2,4 | 27.965 | 3.687 | 0.875 | 8S            |
|                                                             | 2028-41-28LL     | 30-8196    | R REV | 3,6 | 28.000 | 4.516 | 1.125 | 6H            |
| HG-16X30                                                    | 1630-20          | 30-7717    | R KE  | 3   | 29.500 | 3.445 | 1.015 | 4H            |
|                                                             | G1630-114        | 30-8239    | B     | 2   | 30.187 | 3.000 | 0.500 | 12S           |
| 20X30                                                       | 0700-041-030     | 30-6965    | R KE  | 6   | 30.126 | 3.000 | 0.500 | 7H            |
|                                                             | 0730-042-030     | 30-6966    | B     | 2   | 30.750 | 3.000 | 0.500 | 4S            |
| UP 735 NEW M/CS                                             | 0700-041-H30     | 30-7856    | R HS  | 4   | 30.126 | 3.000 | 0.750 | 7H            |
| UP735 SPARES ONLY                                           | 0700-041-030     | 30-6965    | R KE  | 4   | 30.126 | 3.000 | 0.500 | 7H            |
|                                                             | 0735-042-035     | 30-8216    | B     | 2   | 35.750 | 3.000 | 0.500 | 4S            |
| UP-755                                                      | 0700-041-H30     | 30-7856    | R HS  | 4   | 30.126 | 3.000 | 0.750 | 7H            |
| UP-755HD                                                    | 0755-042-056     | 30-7845RH  | B RH  | 2   | 27.500 | 3.000 | 0.500 | 3S            |
| UP-755HD                                                    | 0755-042-055     | 30-7845LH  | B LH  | 2   | 27.500 | 3.000 | 0.500 | 3S            |
|                                                             | 0750-042-050     | 30-8332LH  | B LH  | 2   | 25.000 | 3.000 | 0.500 | 3S            |
|                                                             | 0750-042-051     | 30-8332RH  | B RH  | 2   | 25.000 | 3.000 | 0.500 | 3S            |
| NEW UP755                                                   | 0700-041-6081    | 30-8319    | R HS  | 4   | 20.556 | 3.000 | 0.750 | 5H            |
| <b>CUMBERLAND</b>                                           |                  |            |       |     |        |       |       |               |
| MODEL 1/2                                                   |                  | 30-7554    | R RAD | 3   | 7.500  | 1.500 | 0.375 | 4H            |
|                                                             |                  | 30-7553    | B     | 2   | 7.500  | 2.750 | 0.625 | 4S            |
| 8X8 NEW-STYLE                                               |                  | 30-8116    | R KE  | 3   | 7.900  | 2.390 | 0.437 | 2H            |
| 8X8 OLD-STYLE                                               |                  | 30-7648    | R KE  | 3   | 7.900  | 2.390 | 0.437 | 2H            |
|                                                             |                  | 30-7647    | B     | 1   | 8.094  | 1.937 | 0.500 | 2S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                         | OEM PART # | D&S PART # | KNIFE   | QTY    | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------|------------|------------|---------|--------|--------|-------|-------|---------------|
| <b>CUMBERLAND - continued</b> |            |            |         |        |        |       |       |               |
| MODEL 184                     |            | 30-7150    | R REV   | 2      | 9.964  | 2.750 | 0.500 | 3H            |
|                               |            | 30-7149    | B       | 2      | 10.250 | 2.313 | 0.500 | 3S            |
| MODEL# 1,1-85,710,810         |            | 30-7341    | R SA    | 2      | 10.000 | 2.750 | 0.500 | 3H            |
|                               |            | 30-7340    | B       | 2      | 10.250 | 2.285 | 0.500 | 3S            |
| 1 1/2                         |            | 30-8108    | R RAD   | 3,5    | 10.484 | 1.875 | 0.500 | 5H            |
|                               |            | 30-8109    | B       | 2      | 10.500 | 2.750 | 0.625 | 5S            |
| 8X12                          |            | 30-8096    | R SA    | 3      | 11.937 | 2.375 | 0.437 | 3H            |
|                               |            | 30-8095    | B       | 2      | 12.125 | 1.875 | 0.500 | 3S            |
| MODEL 285,10X12               |            | 30-7080    | R SA    | 3      | 12.000 | 2.750 | 0.500 | 4H            |
|                               |            | 30-7869    | R SA    | 2      | 12.000 | 2.750 | 0.500 | 5H            |
|                               |            | 30-7079    | B       | 2      | 12.250 | 2.125 | 0.500 | 4S            |
| 1212                          |            | 30-8861    | R REV   | 3      | 11.937 | 2.750 | 0.375 | 4H            |
|                               |            | 30-8862    | B       | 2      | 12.187 | 2.750 | 0.500 | 4S            |
| NEW STYLE 284                 | 225017-1   | 30-8178    | R SA    | 3      | 11.875 | 2.750 | 0.375 | 4H            |
|                               |            | 30-7079    | B       | 2      | 12.250 | 2.125 | 0.500 | 4S            |
| OLD STYLE 284                 | 325248     | 30-7080    | R SA    | 3      | 12.000 | 2.750 | 0.500 | 4H            |
|                               |            | 30-7766    | B       | 2      | 12.250 | 2.750 | 0.500 | 4S            |
| MODEL# 12                     |            | 30-7718    | R RAD   | 3      | 12.000 | 2.063 | 0.500 | 5H            |
|                               |            | 30-7079    | B       | 2      | 12.250 | 2.125 | 0.500 | 4S            |
| MODEL# 78                     |            | 30-7080    | R SA    | 3      | 12.000 | 2.750 | 0.500 | 4H            |
|                               |            | 30-7079    | B       | 2      | 12.250 | 2.125 | 0.500 | 4S            |
| MODEL# 78Q                    |            | 30-7869    | R SA    | 2      | 12.000 | 2.750 | 0.500 | 5H            |
|                               |            | 30-7079    | B       | 2      | 12.250 | 2.125 | 0.500 | 4S            |
| 18X24 20X24                   | 36502-2    | 30-8268    | R SA    | 6 or 9 | 12.000 | 3.791 | 0.500 | 3H            |
|                               |            | 30-8269    | B       | 4 or 6 | 12.144 | 3.875 | 0.500 | 4S            |
| 18X36 20X36                   | 36504      |            |         |        |        |       |       |               |
| 684 TWIN SHEAR,               |            | 30-7148    | R LH SA | 3 LH   | 13.125 | 3.250 | 0.500 | 3H            |
| 14X26                         |            | 30-7147    | R RH SA | 3 RH   | 13.125 | 3.250 | 0.500 | 3H            |
| MODEL # 6                     |            | 30-6935    | B       | 4      | 13.188 | 2.750 | 0.500 | 3S            |
| 14X26 I                       | 291547-2   | 30-8386RH  | R SA    | 3 RH   | 13.125 | 3.250 | 0.625 | 3H            |
|                               | 291547-1   | 30-8386LH  | R SA    | 3 LH   | 13.125 | 3.250 | 0.625 | 3H            |
| 35-0199                       | 291479     | 30-6935    | B       | 4      | 13.188 | 2.750 | 0.500 | 3S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                         | OEM PART #   | D&S PART # | KNIFE   | QTY  | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------|--------------|------------|---------|------|--------|-------|-------|---------------|
| <b>CUMBERLAND - continued</b> |              |            |         |      |        |       |       |               |
| MODEL 684                     |              | 30-7860    | R KE    | 5    | 23.500 | 3.218 | 0.500 | 5S            |
|                               |              | 30-6935    | B       | 4    | 13.188 | 2.750 | 0.500 | 3S            |
| 24X28                         |              | 30-7562    | R RH KE | 3    | 14.094 | 4.315 | 0.750 | 3H            |
|                               |              | 30-7563    | R LH KE | 3    | 14.094 | 4.315 | 0.750 | 3H            |
|                               |              | 30-7564    | B RH    | 2    | 14.188 | 3.313 | 0.593 | 4S            |
|                               |              | 30-7565    | B LH    | 2    | 14.188 | 3.313 | 0.593 | 4S            |
| MODEL 30                      | 15 DEG ANGLE | 30-2169    | R RAD   | 6,10 | 15.000 | 2.875 | 0.625 | 5H            |
|                               |              | 40-2000-3  | B       | 4    | 15.188 | 3.812 | 0.875 | 5S            |
| MODEL #3,3-85,10X16,<br>8X16  |              | 30-7152    | R SA    | 2    | 16.000 | 2.750 | 0.500 | 6H            |
|                               |              | 30-7151    | B       | 2    | 16.250 | 2.125 | 0.500 | 5S            |
| MODEL 384                     |              | 30-8752    | R       | 3    | 15.245 | 3.000 | 0.545 | 4H            |
|                               |              | 30-8753    | B       | 2    | 15.500 | 2.500 | 0.500 | 5S            |
| MODEL 4,14X16,12X16 4-85      | 21175-621    | 30-7394    | R SA    | 2    | 16.000 | 3.250 | 0.500 | 6H            |
|                               | 621137       | 30-8355    | R SA    | 3    | 15.945 | 3.266 | 0.375 | 4H            |
|                               | 421025       | 30-6398    | B       | 2    | 16.250 | 2.812 | 0.500 | 5S            |
| MODEL 484                     |              | 30-6936-1  | R REV   | 3    | 15.969 | 3.218 | 0.500 | 4H            |
|                               | 421025       | 30-6398    | B       | 2    | 16.250 | 2.812 | 0.500 | 5S            |
| 484 TWIN SHEAR                |              | 30-8519RHC | R RH    | 3 RH | 7.781  | 3.250 | 0.500 | 2H            |
|                               |              | 30-8519LHC | R LH    | 3 LH | 7.781  | 3.250 | 0.500 | 2H            |
|                               |              | 30-8520C   | B       | 4    | 8.062  | 2.750 | 0.500 | 2S            |
| MODEL #18                     |              | 30-6648    | R RAD   | 3,5  | 17.750 | 1.875 | 0.500 | 6H            |
|                               |              | 30-6649    | B       | 2    | 18.000 | 2.875 | 0.625 | 6S            |
| 32X37                         |              | 30-7802    | R RH SA | 3 RH | 17.836 | 4.343 | 1.125 | 4H            |
|                               |              | 30-7803    | R LH SA | 3 LH | 17.836 | 4.343 | 1.125 | 4H            |
|                               |              | 30-6299    | B LH    | 2    | 18.750 | 4.125 | 0.875 | 5S            |
| 1018                          |              | 30-9057    | R       | 3    | 17.950 | 2.460 | 0.375 | 5H            |
|                               |              | 30-9058    | B       | 2    | 17.950 | 2.750 | 0.500 | 5S            |
| 37 HOG                        |              | 30-9150    | R REV   | 8    | 33.875 | 3.617 | 1.375 | 8H            |
| 37X15                         |              | 30-6996    | R REV   | 15   | 7.250  | 3.687 | 1.188 | 3H            |
| MODEL 37                      | 50635-3      | 30-3178LH  | R SA    | 6,10 | 18.563 | 4.250 | 0.750 | 4H            |
| MODEL 37 18 x 37              | 50635-4      | 30-3178RH  | R SA    | 6,10 | 18.563 | 4.250 | 0.750 | 4H            |
|                               | 50008        | 30-3177    | B       | 4    | 18.750 | 3.812 | 0.875 | 5S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                         | OEM PART #   | D & S PART # | KNIFE   | QTY   | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------|--------------|--------------|---------|-------|--------|-------|-------|---------------|
| <b>CUMBERLAND - continued</b> |              |              |         |       |        |       |       |               |
| 37B HIGH SHEAR                | 35078402     | 30-7722      | R RH SA | 3 RH  | 18.563 | 4.313 | 1.125 | 4H            |
|                               | 35078401     | 30-7723      | R LH SA | 3 LH  | 18.563 | 4.313 | 1.125 | 4H            |
|                               | 50008        | 30-3177      | B       | 4     | 18.750 | 3.812 | 0.875 | 5S            |
| 24X38                         |              | 30-8860RH    | R       | 3 RH  | 19.210 | 4.250 | 0.750 | 4H            |
|                               |              | 30-8860LH    | R       | 3 LH  | 19.210 | 4.250 | 0.750 | 4H            |
|                               |              | 30-8854RH    | B       | 2     | 19.244 | 3.312 | 0.750 | 5S            |
|                               |              | 30-8854LH    | B       | 2     | 19.244 | 3.312 | 0.750 | 5S            |
| 1620X                         | 535880-1     | 30-8089      | RREV    | 3,5   | 19.875 | 3.250 | 0.500 | 5H            |
|                               | 635077       | 30-9006      | B       | 2     | 20.134 | 2.677 | 0.500 | 7S            |
| 1640X                         | CA0833140100 | 30-9005LH    | RREV    | 3,5   | 19.965 | 3.220 | 0.375 | 5H            |
|                               | CA0833140200 | 30-9005RH    | RREV    | 3,5   | 19.965 | 3.220 | 0.375 | 5H            |
|                               | 635077       | 30-9006      | B       | 4     | 20.134 | 2.677 | 0.500 | 7S            |
|                               |              | 30-9026LH    | R REV   | 3     | 10.012 | 3.312 | 0.375 | 3H            |
| MODEL 16 X 20 TWIN SHEAR      |              | 30-9026RH    | R REV   | 3     | 10.012 | 3.312 | 0.375 | 3H            |
|                               |              | 30-9027      | B       | 4     | 10.110 | 2.667 | 0.500 | 3S            |
| MODEL 20                      |              | 30-1556-1    | R RAD   | 3,5,7 | 19.969 | 2.250 | 0.625 | 7H            |
|                               |              | 30-6241      | B       | 2     | 20.000 | 3.375 | 0.875 | 7S            |
| GPH 20x56                     |              | 30-9156LH    | R       | 5     | 28.062 | 4.293 | 1.125 | 5H            |
|                               |              | 30-9156RH    | R       | 5     | 28.062 | 4.293 | 1.125 | 5H            |
|                               |              | 30-9157      | B       | 4     | 28.135 | 3.850 | 0.875 | 7S            |
|                               |              | 30-7920RH    | R RH KE | 3 RH  | 10.156 | 3.313 | 0.515 | 3H            |
| 584 TWINSHEAR                 |              | 30-7920LH    | R LH KE | 3 LH  | 10.156 | 3.313 | 0.515 | 3H            |
|                               |              | 30-7911      | B       | 2     | 20.250 | 2.812 | 0.500 | 7S            |
| MODEL 584                     |              | 30-8089      | R SA    | 3     | 19.875 | 3.250 | 0.500 | 5H            |
|                               |              | 30-7911      | B       | 2     | 20.250 | 2.812 | 0.500 | 7S            |
| MODEL #5,5-85                 | IKS 35-0232  | 40-1997      | R KE    | 3     | 20.000 | 3.312 | 0.500 | 5H            |
|                               |              | 30-8041      | R SA    | 2     | 20.156 | 3.303 | 0.500 | 7H            |
|                               |              | 40-2716-1    | R SA    | 3     | 20.000 | 3.250 | 0.500 | 5H            |
| 14X20                         | 35010        | 40-2716-2    | B       | 2     | 20.250 | 2.629 | 0.500 | 7S            |
| 3263                          | 357156       | 30-9091      | R REV   | 24    | 31.250 | 3.875 | 1.190 | 8H            |
|                               | 357009       | 30-9092      | B       | 4     | 31.687 | 3.915 | 0.875 | 9S            |
|                               |              | 30-9218      | B       | 2     | 31.687 | 3.915 | 0.875 | 8S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                         | OEM PART #       | D&S PART # | KNIFE | QTY  | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------|------------------|------------|-------|------|--------|-------|-------|---------------|
| <b>CUMBERLAND - continued</b> |                  |            |       |      |        |       |       |               |
| 3284                          |                  | 30-8916    | R REV | 36   | 21.250 | 4.270 | 1.188 | 6H            |
|                               |                  | 30-8917    | B     | 6    | 21.105 | 3.915 | 0.880 | 6S            |
| 1842                          |                  | 30-8734    | LH R  | 3    | 20.843 | 4.315 | 1.122 | 4H            |
|                               |                  | 30-8735    | RH R  | 3    | 20.843 | 4.315 | 1.122 | 4H            |
|                               |                  | 30-8736    | B     | 4    | 21.000 | 3.854 | 0.591 | 5S            |
|                               |                  |            |       |      |        |       |       |               |
| MODEL 43                      |                  | 30-2867-2  | R RAD | 6,10 | 21.563 | 3.000 | 0.750 | 6H            |
|                               |                  | 30-6238    | B     | 4    | 21.740 | 3.815 | 0.875 | 6S            |
| 15X24                         |                  | 40-1808    | R SA  | 3,5  | 24.000 | 3.343 | 0.625 | 5H            |
|                               |                  | 30-7769    | R RAD | 3,5  | 24.000 | 2.812 | 0.625 | 8H            |
|                               |                  | 40-4272    | B     | 2    | 24.375 | 3.313 | 0.625 | 7S            |
|                               |                  |            |       |      |        |       |       |               |
| MODEL 80                      |                  | 30-8605    | R SA  | 3,5  | 24.000 | 3.250 | 0.625 | 5H            |
|                               |                  | 30-6878    | B     | 2    | 24.938 | 2.875 | 0.500 | 7S            |
| 24-15<br>HOG                  | B-358617         | 30-7938    | R REV | 15   | 4.750  | 3.313 | 0.938 | 2H            |
|                               |                  | 30-7939    | B     | 1    | 24.375 | 3.212 | 0.625 | 7S            |
|                               |                  | 40-4272    | B     | 1    | 24.375 | 3.312 | 0.625 | 7S            |
|                               |                  |            |       |      |        |       |       |               |
| 24B                           |                  | 30-7966    | R REV | 3,5  | 24.000 | 3.625 | 0.875 | 5H            |
|                               |                  | 40-4272    | B     | 2    | 24.375 | 3.313 | 0.625 | 7S            |
| 1824                          | B97021<br>B97010 | 30-8994    | R     | 6    | 12.000 | 4.000 | 1.250 | 3H            |
|                               |                  | 30-8995    | B     | 2    | 25.250 | 4.375 | 0.870 | 5S            |
| 50B HIGH SHEAR                |                  | 30-7882    | R REV | 6,10 | 24.937 | 4.312 | 1.125 | 5H            |
|                               |                  | 40-1888B   | B     | 4    | 25.125 | 3.812 | 0.875 | 6S            |
| 50-18<br>50-18 HOG            |                  | 30-7055    | R REV | 18   | 8.125  | 3.625 | 1.188 | 3H            |
|                               |                  | 30-7837    | R     | 18   | 8.125  | 3.750 | 1.188 | 3H            |
|                               |                  | 40-1888B.  | B     | 2    | 25.125 | 3.812 | 0.875 | 6S            |
|                               |                  | 40-1888BUP | B     | 2    | 25.125 | 3.750 | 0.875 | 6S            |
| 2045                          |                  | 30-8512RH  | R RH  | 5 RH | 25.000 | 4.500 | 0.625 | 5H            |
|                               |                  | 30-8512LH  | R LH  | 5 LH | 25.000 | 4.500 | 0.625 | 5H            |
| MODEL50,20X50                 | 51631            | 40-1888R   | R SA  | 6,10 | 25.000 | 4.312 | 0.750 | 5H            |
|                               |                  | 30-3185    | R RAD | 6,10 | 25.000 | 3.313 | 0.500 | 8S            |
|                               |                  | 30-7499    | R RAD | 6,10 | 25.000 | 3.313 | 0.500 | 8S            |
|                               |                  | 40-1888B   | B     | 4    | 25.125 | 3.812 | 0.875 | 6S            |
|                               | B51016           |            |       |      |        |       |       |               |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                         | OEM PART #   | D & S PART # | KNIFE  | QTY     | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------|--------------|--------------|--------|---------|--------|-------|-------|---------------|
| <b>CUMBERLAND - continued</b> |              |              |        |         |        |       |       |               |
| CT 50120                      |              | 30-9399LH    | R      | 5       | 24.140 | 4.288 | 0.750 |               |
|                               |              | 30-9399RH    | R      | 5       | 24.140 | 4.288 | 0.750 |               |
|                               |              | 30-9400      | B      | 4       | 24.298 | 3.875 | 0.625 |               |
| 32X50                         |              | 30-3194      | R SA   | 9       | 17.625 | 4.375 | 1.125 | 3H            |
| HOG                           |              | 30-7720      | R SA   | 25      | 11.250 | 4.313 | 1.250 | 4H            |
|                               |              | 40-1888B     | B      | 4       | 25.125 | 3.812 | 0.875 | 6S            |
| 2815 HOG                      |              | 30-6978      | R REV  | 15      | 5.375  | 3.688 | 1.188 | 2H            |
|                               |              | 30-7171      | B UPST | 1       | 28.375 | 4.250 | 0.875 | 8S            |
|                               |              | 30-7172      | B DNST | 1       | 28.375 | 3.812 | 0.875 | 8S            |
| 1628                          |              | 30-8933      | R      | 6       | 13.780 | 3.313 | 0.453 | 3H            |
|                               |              | 30-8934      | B REV  | 4       | 13.957 | 2.677 | 0.500 | 4S            |
| MODEL28,18X28                 |              | 30-6104R     | R SA   | 3,5     | 28.000 | 4.232 | 0.750 | 5H            |
|                               |              | 30-7431      | R RAD  | 6,10    | 13.938 | 3.313 | 0.500 | 5S            |
|                               |              | 30-6104B     | B      | 2       | 28.313 | 3.812 | 0.875 | 8S            |
| 28B HIGH SHEAR<br>STANDARD    |              | 30-8266      | R REV  | 3       | 28.000 | 4.375 | 1.125 | 5H            |
|                               |              | 30-6104B     | B      | 2       | 28.313 | 3.812 | 0.875 | 8S            |
| 14X56                         |              | 30-9395LH    | R      | 4       | 28.754 | 4.230 | 0.785 | 6H            |
|                               |              | 30-9395RH    | R      | 4       | 28.754 | 4.230 | 0.785 | 6H            |
|                               |              | 30-9396      | B      | 4       | 28.940 | 4.210 | 0.788 | 6S            |
| 20 X 42                       | CI0441180100 | 30-9116LH    | RREV   | 3/5     | 20.840 | 4.250 | 0.750 | 4H            |
|                               | CI0441180200 | 30-9116RH    | RREV   | 3/5     | 20.840 | 4.250 | 0.750 | 4H            |
|                               | CI0440050000 | 30-9117      | B      | 4       | 21.008 | 3.875 | 0.625 | 5S            |
| 56                            |              | 30-7635      | R KE   | 6       | 28.500 | 3.312 | 0.658 | 6H            |
|                               |              | 30-7634      | B      | 4       | 28.938 | 2.756 | 0.625 | 6S            |
| 30T 56T                       |              | 30-8857LH    | R LH   | 3       | 28.480 | 3.312 | 0.668 | 6H            |
|                               |              | 30-8858RH    | R RH   | 3       | 28.480 | 3.312 | 0.668 | 6H            |
|                               |              | 30-8859      | B      | 4       | 28.950 | 2.750 | 0.616 | 6S            |
| MODEL62                       |              | 30-6621      | R SA   | 3, 5 RH | 30.188 | 4.239 | 0.750 | 6H            |
|                               |              | 30-6624      | R SA   | 3, 5 LH | 30.188 | 4.239 | 0.750 | 6H            |
|                               |              | 30-6625      | B      | 4       | 31.125 | 3.812 | 0.875 | 8S            |
| 1872                          |              | 30-9246      | R      |         | 35.936 | 4.313 | 0.752 | 6H            |
|                               |              | 30-9247      | B      |         | 36.125 | 3.812 | 0.875 | 9S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                         | OEM PART # | D & S PART # | KNIFE    | QTY  | L      | H     | W     | HOLE/<br>SLOT |
|-------------------------------|------------|--------------|----------|------|--------|-------|-------|---------------|
| <b>CUMBERLAND - continued</b> |            |              |          |      |        |       |       |               |
| MODEL 72                      |            | 30-8497RH    | R RH     | 5 RH | 35.625 | 4.310 | 1.125 | 6H            |
|                               |            | 30-8497LH    | R LH     | 5 LH | 35.625 | 4.310 | 1.125 | 6H            |
|                               |            | 30-8498      | B        | 4    | 36.140 | 3.815 | 1.000 | 9S            |
| MODEL X-700                   | 48203-2    | 30-8618LH    | R        | 3,5  | 14.025 | 4.375 | 0.750 | 3H            |
|                               | 48203-1    | 30-8618RH    | R        | 3,5  | 14.025 | 4.375 | 0.750 | 3H            |
|                               | 48222      | 30-9324      | R        | 4    | 14.177 | 3.875 | 0.875 | 4S            |
| MODEL X-1000                  | 48124-1    | 30-8475RH    | R RH     | 3    | 20.035 | 4.287 | 0.750 | 4H            |
|                               | 48124-2    | 30-8475LH    | R LH     | 3    | 20.035 | 4.287 | 0.750 | 4H            |
|                               | 48027      | 30-8476      | B        | 4    | 20.188 | 3.875 | 0.875 | 5S            |
|                               | 48208-1    | 30-8398RH    | R RH REV | 3,5  | 27.956 | 4.288 | 0.750 | 6H            |
| MODEL X-1400                  | 48208-2    | 30-8398LH    | R LH REV | 3,5  | 27.956 | 4.288 | 0.750 | 6H            |
|                               | 48223      | 30-8399      | B REV    | 4    | 28.160 | 3.867 | 0.875 | 7S            |
| C1400                         |            | 30-8665LH    | R        | 3    | 28.039 | 4.375 | 1.125 | 5H            |
|                               |            | 30-8665RH    | R        | 3    | 28.039 | 4.375 | 1.125 | 5H            |
|                               |            | 30-8399      | B REV    | 4    | 28.160 | 3.867 | 0.875 | 7S            |
| <b>CUMBERLAND WIRELINE</b>    |            |              |          |      |        |       |       |               |
| 20 GRANULATOR                 |            | 30-1556-1    | R RAD    | 3,5  | 19.998 | 2.250 | 0.625 | 7H            |
|                               |            | 30-6241      | B        | 2    | 19.970 | 3.342 | 0.875 | 7S            |
| 43 GRANULATOR                 |            | 30-2867-02   | R RAD    | 6,10 | 21.562 | 3.000 | 0.750 | 6H            |
|                               |            | 30-6238      | B        | 4    | 21.740 | 3.815 | 0.878 | 6S            |
| <b>DREHER</b>                 |            |              |          |      |        |       |       |               |
| S26                           |            | 30-9055      | R        |      | 9.843  | 2.275 | 0.550 | 3H            |
|                               |            | 30-9056      | B        |      | 10.118 | 2.275 | 0.557 | 3S            |
| Model S34/52                  |            | 30-8138      | R HS     | 4    | 20.079 | 2.992 | 0.787 | 6H            |
| Model S3452                   |            | 30-8139      | B        | 2    | 20.453 | 2.992 | 0.787 | 6S            |
| S42-65GF8                     |            | 30-8135      | R KE     | 5    | 25.196 | 3.465 | 0.912 | 6H            |
|                               |            | 30-8136      | B        | 2    | 25.536 | 3.778 | 0.875 | 6S            |
| <b>ECONOGRIND</b>             |            |              |          |      |        |       |       |               |
| ESC 500/500                   |            | 30-9104      | R        | 6    | 19.250 | 3.500 | 0.710 | 3S            |
| <b>ELDAN</b>                  |            |              |          |      |        |       |       |               |
| MODEL 1504                    |            | 30-9001      | R        |      | 18.722 | 3.740 | 0.790 | 4S            |
|                               |            | 30-9002      | B        |      | 19.695 | 3.845 | 1.335 | 4S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                       | OEM PART #     | D&S PART # | KNIFE | QTY   | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------|----------------|------------|-------|-------|--------|-------|-------|---------------|
| <b>ELDAN - continued</b>    |                |            |       |       |        |       |       |               |
| 1504 MODIFIED               |                | 30-9068    | R     |       | 18.701 | 4.016 | 0.787 | 4S            |
|                             |                | 30-9408    | B     |       | 19.685 | 4.133 | 1.338 | 4S            |
| MODEL SC1412 RASPER         |                | 30-9355    | R     | 25    | 15.709 | 2.598 | 0.984 | 5H            |
| MODEL SC1412 RASPER         |                | 30-9356    | B     | 26    | 3.150  | 8.593 | 1.575 | 1S            |
| <b>ENTOLETER (ALSTEELE)</b> |                |            |       |       |        |       |       |               |
| 6x8                         | S-80079C       | 30-6687    | B     | 2     | 5.990  | 1.908 | 0.500 | N             |
|                             | S-80093        | 30-6674    | R SA  | 2     | 7.990  | 1.875 | 0.430 | 4H            |
|                             | S-81062-B      | 30-6660    | B     | 2     | 7.990  | 1.938 | 0.500 | N             |
|                             | S-80092        | 30-6620    | B     | 2     | 7.990  | 1.375 | 0.430 | 4S            |
| 8x10                        | S-80002-B      | 30-6709    | R REV | 2     | 9.990  | 2.875 | 0.575 | 5H            |
|                             | S-80003-B      | 30-6363    | B     | 2     | 9.990  | 1.875 | 0.440 | 5S            |
| MODEL 1009                  | 21-04280-001   | 30-8228    | R REV |       | 10.500 | 2.793 | 0.615 | 2H            |
| 10x12 OLD                   | M-80177-02     | 30-6583    | R REV | 2     | 11.500 | 3.313 | 0.580 | 5H            |
| 11x13 OLD                   | M-80177-01     | 30-6582    | B     | 2     | 11.500 | 2.375 | 0.580 | 5S            |
| 1012                        | 26-06210       | 30-8390    | R     | 7     | 12.000 | 3.125 | 0.687 | 3S            |
| 1512                        | 26-06212       | 30-8391    | B     | 2     | 12.062 | 3.248 | 0.625 | 2S            |
| 10x12 NEW                   | S-80091        | 30-6673    | R REV | 2     | 11.750 | 3.313 | 0.580 | 5H            |
| 11x13 NEW                   | S-80090        | 30-6369    | B     | 2     | 11.750 | 2.375 | 0.580 | 5S            |
| 24X36,24x49                 | B-85949        | 30-6785    | R REV | 12,16 | 11.995 | 4.188 | 0.585 | 4H            |
|                             | S-85950        | 30-6661    | B     | 6,8   | 11.995 | 3.438 | 0.875 | 4S            |
| 14x22,16x49                 | 21-03491-01    | 30-6208    | R REV | 2,4   | 8.490  | 2.850 | 0.625 | 4H            |
|                             | 21-03491-02    | 30-6207    | R REV | 2,4   | 12.740 | 2.830 | 0.625 | 6H            |
|                             | 21-03490-001   | 30-6587    | B     | 2,4   | 8.490  | 2.580 | 0.625 | N             |
|                             | 21-03490-002   | 30-6588    | B     | 2,4   | 12.300 | 2.580 | 0.625 | N             |
| 14X22                       | C21-14904-01   | 30-8263    | B     |       | 10.750 | 2.500 | 0.625 | 3S            |
| 16X39                       | 26-06210       | 30-8371    | R     | 7     | 12.000 | 3.125 | 0.687 | 3S            |
|                             | 21-04002       | 30-8237    | B     | 2     | 12.735 | 2.850 | 0.625 | 6S            |
|                             | 26-06212       | 30-8372    | B     | 2     | 12.052 | 3.248 | 0.625 | 2S            |
| 14X26                       | C-21-05147-001 | 30-8202    | R     |       | 12.750 | 2.735 | 0.615 | 3H            |
|                             | C-21-04785-001 | 30-8201    | B     |       | 12.750 | 2.500 | 0.625 | 4S            |
| MRP 20X30                   | B26-06590-001  | 20-3227    | R     | 12    | 13.870 | 4.000 | 0.625 | N             |



# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                   | OEM PART #    | D&S PART # | KNIFE | QTY    | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------------------|---------------|------------|-------|--------|--------|-------|-------|---------------|
| <b>ENTOLETER (ALSTEELE) - continued</b> |               |            |       |        |        |       |       |               |
| MODEL24                                 | 21-05148-001  | 30-8229    | R REV | 6      | 14.750 | 2.750 | 0.615 | 3H            |
|                                         | C21-04869-001 | 30-8226    | B     | 4      | 14.750 | 2.500 | 0.625 | 5S            |
| 14X17                                   | C21-05139     | 30-8213    | R REV | 3      | 14.500 | 2.756 | 0.615 | 3H            |
|                                         | C21-05140     | 30-8214    | B     | 2      | 15.000 | 2.500 | 0.625 | 5S            |
| 10X18,12,18                             | S-80089       | 30-6686    | R REV | 2      | 17.990 | 3.313 | 0.580 | 7H            |
|                                         | S-80088-A     | 30-6746    | B     | 2      | 17.990 | 2.375 | 0.580 | 7S            |
| 7x18                                    | S-80087-01    | 30-6586    | R REV | 5      | 17.990 | 1.875 | 0.500 | 6H            |
|                                         | S-80086       | 30-6722    | B     | 2      | 17.990 | 1.188 | 0.747 | 6S            |
| 9x36                                    | S-80141-1     | R RAD      | 10    | 17.990 | 2.375  | 0.625 |       |               |
|                                         | S-80050       | B          | 4     | 17.990 | 3.375  | 0.875 |       |               |
| 12X36,14X36                             | S-80406-01    | 30-6772    | R RAD | 10     | 17.990 | 2.875 | 0.875 | 9H            |
|                                         | S-85155       | 30-6362    | B     | 4      | 17.990 | 3.438 | 0.875 | 6S            |
|                                         | S-80405       | 30-6723    | B     | 4      | 17.990 | 3.875 | 1.125 | 6S            |
| 24x36                                   | S-85155       | 30-6362    | B     | 4      | 17.990 | 3.438 | 0.875 | 6S            |
|                                         | S-80034-C     | 30-6749    | R KE  | 8      | 17.995 | 3.875 | 0.640 | 6H            |
| 25x36                                   | B26-07003-001 | 30-8542    | R     | 10     | 18.000 | 3.060 | 0.688 | 4H            |
| 15x18                                   | 26-06282      | 30-8393    | R     | 7      | 18.000 | 3.125 | 0.687 | 3S            |
|                                         | 26-06281      | 30-8392    | B     | 2      | 18.062 | 3.248 | 0.625 | 3S            |
| 8X20                                    | S-80147-02    | 30-4975    | R RAD | 3      | 19.990 | 2.375 | 0.625 | 7H            |
|                                         | S-80148       | 30-4977    | B     | 2      | 19.990 | 3.375 | 0.875 | 7S            |
| 15x21                                   | S-81452-E     | 30-7627    | R REV | 3      | 20.500 | 3.313 | 0.580 | 7H            |
|                                         | S-82194       | 30-7382    | B     | 2      | 21.210 | 2.375 | 0.563 | 7S            |
| 9x24                                    | S-80081-1E    | 30-8020    | R RAD | 3,5    | 23.990 | 2.375 | 0.625 | 9H            |
|                                         | S-80080       | 30-6364    | B     | 2      | 23.990 | 3.375 | 0.875 | 9S            |
| 936                                     | S-80141-1     | 30-8706    | R     |        | 17.990 | 2.375 | 0.625 | 6H            |
| MOD 12X24,13X25,<br>30X49               | S-80083       | 30-6585    | R REV | 5,10   | 23.813 | 3.313 | 0.580 | 9H            |
|                                         | S-80082       | 30-6370    | B     | 2,4    | 23.875 | 2.375 | 0.580 | 9S            |
| MOD 12X24,30X49                         | S-80202-1     | 30-6748    | R RAD | 5,10   | 23.990 | 2.875 | 0.875 | 9H            |
|                                         | S-80203       | 30-7369    | B     | 2      | 23.990 | 3.875 | 1.125 | 9S            |
| 1524F                                   | 26-06394      | 30-8394    | R KE  | 10     | 24.000 | 3.125 | 0.687 | 5H            |
| 1524                                    | B26-06724-001 | 30-8454    | R     | 10     | 24.000 | 3.125 | 0.937 | 5H            |
|                                         | 26-06403      | 30-8395    | B     | 2      | 24.052 | 3.248 | 0.625 | 4H            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

| MODEL                                   | OEM PART #     | D & S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------------------|----------------|--------------|-------|-----|--------|-------|-------|---------------|
| <b>ENTOLETER (ALSTEELE) - continued</b> |                |              |       |     |        |       |       |               |
| 1530F                                   | B26-06148-001  | 30-8555      | R     |     | 30.125 | 3.250 | 0.750 | 5S            |
|                                         | B26-07015-001  | 30-8554      | B     |     | 30.000 | 3.500 | 0.750 | 5S            |
| 1540 CUTTER                             | B26-07152      | 30-8626      | R     | 14  | 20.000 | 3.125 | 0.687 | 4S            |
|                                         | B26-07151      | 30-8627      | B     | 4   | 20.062 | 3.248 | 0.625 | 3S            |
| 2048DSF                                 | B26-06834-001  | 30-8478      | R     |     | 23.930 | 3.250 | 0.625 | 4S            |
| 2048                                    | B26-06465-003  | 30-8467CR    | R LH  |     | 24.000 | 3.125 | 0.937 | 4H            |
|                                         | B26-06466-003  | 30-8468CR    | R RH  |     | 24.000 | 3.125 | 0.937 | 4H            |
|                                         | B26-06464-001  | 30-8466      | B     |     | 24.000 | 3.250 | 0.625 | 4S            |
|                                         | S-80083        | 30-6585      | R REV | 2   | 23.813 | 3.313 | 0.580 | 9H            |
| 12x36                                   | M-80177-02     | 30-6583      | R REV | 2   | 11.500 | 3.313 | 0.580 | 5H            |
|                                         | S-80082        | 30-6370      | B     | 2   | 23.875 | 2.375 | 0.580 | 9S            |
|                                         | M-80177-01     | 30-6582      | B     | 2   | 11.500 | 2.375 | 0.580 | 5S            |
|                                         | B26-06268-001  | 30-8377      | B     | 2   | 27.560 | 3.500 | 0.750 | 4S            |
| 20X30                                   | B26-06147-001  | 30-8441      | R REV |     | 30.000 | 3.125 | 0.937 | 5S            |
|                                         | B26-06544-001  | 30-8442      | B     |     | 30.000 | 3.250 | 0.750 | 5S            |
| <b>FOREMOST</b>                         |                |              |       |     |        |       |       |               |
| 2A4,3X,5C-1                             | Y-2030-32C     | 30-7320      | R KE  | 2,4 | 8.000  | 2.219 | 0.500 | 3H            |
| 12x18                                   | Y-2030-32C     | 30-7321      | B     | 2,4 | 8.000  | 2.218 | 0.500 | 4S            |
|                                         | 2090-32-2-F    | 30-8523      | R     |     | 8.000  | 2.215 | 0.500 | 3H            |
| HD-1,HD-3                               | X-2066-16C     | 30-6685      | B     | 2,4 | 10.000 | 1.938 | 0.625 | 4S            |
| 10"                                     | Y-7403-8-2-D   | 30-8522      | R     |     | 10.000 | 2.250 | 0.500 | 2S            |
| 11"                                     | Y-7305-145-2C  | 30-8504      | R     |     | 11.000 | 3.875 | 0.875 | 2H            |
| 3C-2,S3E-1                              | Y-7202-30      | 30-6684      | R REV | 3   | 12.000 | 2.218 | 0.500 | 4H            |
| 3C2 HS                                  | Y-2042-117-2   | 30-8495      | R/B   | 3   | 11.525 | 2.625 | 0.500 | 4H            |
| 6A                                      | X-2083-176     | 30-8104      | B     | 2   | 12.000 | 2.250 | 0.625 | 4S            |
| GK-B (PER IKS DWG)                      |                | 00-0000      | B     | 4   | 24.000 | 2.250 | 0.625 | 8S            |
| 13"                                     | Y-2533-103-2-C | 30-8503      | R     |     | 13.000 | 3.875 | 0.875 | 3H            |
| HD-2, HD-2FX 2067-15E,2067-16D,HD-4X    |                | 30-6683      | B     | 2,4 | 14.000 | 1.938 | 0.625 | 5S            |
| ALSO KNOWN AS MS-14,MS-14H,MS-14F,MS-28 |                | 30-8990      | R     | 6   | 13.493 | 2.625 | 0.500 | 4H            |
| S-30A,X-45                              | X-7802-25B     | 30-6335      | R REV | 6,9 | 15.000 | 4.188 | 1.000 | 5H            |
|                                         | SK-8500        | 30-8190      | B     | 4   | 15.000 | 3.875 | 0.875 | 10 Tapped     |
|                                         |                | 30-7922      | R RAD | 2   | 18.000 | 1.781 | 0.625 | 6H            |

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                       | OEM PART #       | D&S PART # | KNIFE | QTY    | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------|------------------|------------|-------|--------|--------|-------|-------|---------------|
| <b>FOREMOST - continued</b> |                  |            |       |        |        |       |       |               |
|                             | X-7802-26        |            | B     | 3      | 15.000 | 4.000 | 1.100 | 4S            |
|                             |                  |            | B     | 3      | 15.000 | 4.000 | 1.150 |               |
| 16"                         | X-2037-107-2-D   | 30-8505    | R     |        | 16.000 | 2.218 | 0.500 | 6H            |
|                             | Y-7503-159-A     | 30-8593    | R     |        | 16.000 | 2.625 | 0.500 | 3H            |
| 16"                         | X-7503-25-2A     | 30-8465    | B     |        | 15.968 | 2.500 | 0.750 | 6S            |
| HD-6,MS18                   | X-2096-16E       | 30-6676    | B     | 2      | 18.000 | 2.250 | 0.625 | 6S            |
| HD-60                       | Y-7000-179       | 30-8544    | B     | 2      | 18.000 | 2.875 | 0.625 | 6S            |
| 18" SHEET FLY - 4 BOLT      | Y-SK-7305-70-2B  | 30-8510    | R     |        | 18.000 | 3.875 | 1.185 | 4H            |
| 6B                          | Y7505-90         | 30-8158    | R REV | 5      | 24.000 | 2.625 | 0.500 | 4H            |
|                             | XY-2083-16       | 30-7327    | B     | 4      | 12.000 | 2.250 | 0.625 | 4S            |
|                             | 98765-B          | 30-9149    | B     | 2,4    | 24.000 | 2.250 | 0.625 | 8S            |
| HD-8                        | 30-8243          | R KE       | 12    | 13.000 | 3.875  | 0.875 | 3H    |               |
|                             | 30-8235          | B          | 2     | 36.000 | 3.000  | 1.000 | 9S    |               |
| HD5B                        | Y-7305-119       | 30-8150-02 | R REV | 3      | 20.000 | 3.625 | 1.000 | 4H            |
|                             | Y-SK-7305-33     | 30-8171    | R REV | 3      | 20.000 | 3.625 | 0.687 | 4H            |
|                             | Y-7305-20        | 30-8197    | B     | 2      | 20.000 | 2.250 | 0.625 | 8S            |
| SCG1124 GRINDER             | Y-7505-8-A       | 30-8620    | B     |        | 23.969 | 2.500 | 0.750 | 9S            |
|                             |                  | 30-8340    | B     | 2      | 27.995 | 2.250 | 0.625 | 11S           |
| <b>GETECHA</b>              |                  |            |       |        |        |       |       |               |
| 6000                        | Dwg #5417        | 30-9038    | R     |        | 11.811 | 3.937 | 0.906 | 2S            |
|                             |                  | 30-9223    | R     |        | 11.772 | 4.016 | 0.906 | 3S            |
| 6012RS                      | 301-6000-0003    | 30-9021    | R     | 10     | 11.730 | 3.937 | 0.945 | 2S            |
| 6015                        |                  | 30-9213    | B     | 4      | 30.000 | 3.110 | 0.904 | 5S            |
| 3812                        |                  | 30-9154    | B     |        | 50.433 | 2.716 | 0.708 | 13S           |
| Stationary Blade            | Dwg #635-1235312 | 30-9147    |       |        | 25.000 | 2.716 | 0.708 | 6S            |
|                             |                  | 30-9239    |       |        | 48.149 | 3.779 | 0.906 | 10S           |
|                             |                  | 30-9240    |       |        | 48.188 | 3.110 | 0.906 | 7S            |
|                             |                  | 30-9290    | B     |        | 25.196 | 2.712 | 0.704 | 6S            |
|                             |                  | 30-9291    | B     |        | 25.196 | 2.712 | 0.704 | 6S            |
| 4500-6, 4500-6R             |                  | 30-9186    | R     |        | 5.901  | 3.465 | 0.787 | 2S            |
|                             |                  | 30-9185    | B     |        | 24.252 | 3.071 | 0.787 | 6S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                | OEM PART #      | D&S PART # | KNIFE | QTY  | L      | H     | W     | HOLE/<br>SLOT |
|----------------------|-----------------|------------|-------|------|--------|-------|-------|---------------|
| GETECHA - continued  |                 |            |       |      |        |       |       |               |
| 6012                 | 301-6000-00003  | 30-9121    | R     |      | 11.730 | 3.937 | 0.945 | 2S            |
|                      |                 | 30-9074    | B     |      | 48.100 | 3.115 | 0.906 | 8S            |
| GLOUCESTER (GLOENCO) |                 |            |       |      |        |       |       |               |
| 6x8                  | B21-005-127     | 30-3067    | R REV | 2    | 7.750  | 2.938 | 0.468 | 4H            |
|                      |                 | 30-3066    | B     | 1    | 7.875  | 2.438 | 0.468 | 4S            |
| 9x12                 | B21-000-005     | 30-6969    | R REV | 2,3  | 11.750 | 3.938 | 0.563 | 6H            |
|                      |                 | 30-8696    | R     |      | 11.750 | 3.490 | 0.500 | 6H            |
| 10x12                | B21-005-124     | 30-8435    | R     |      | 11.750 | 3.938 | 0.563 |               |
|                      |                 | 30-3070    | R REV | 3    | 11.750 | 3.937 | 0.562 | 6H            |
|                      |                 | 30-3071    | B     | 1    | 11.875 | 3.438 | 0.563 | 6S            |
|                      |                 |            |       |      |        |       |       |               |
| 12x18                | B21-005-330     | 30-3069    | R REV | 3    | 17.750 | 3.938 | 0.563 | 5H            |
|                      |                 | 30-3065    | R REV | 2    | 17.750 | 3.938 | 0.563 | 7H            |
|                      |                 | 30-3068    | B     | 1    | 17.875 | 3.000 | 0.563 | 7S            |
| 12x25                | B21-005-403-001 | 30-3064    | R REV | 3,4  | 24.750 | 3.938 | 0.563 | 5H            |
|                      |                 | 30-8614    | R SE  |      | 24.750 | 3.938 | 0.563 | 5H            |
|                      |                 | 30-7923    | R KE  | 3,4  | 24.750 | 4.063 | 0.563 | 5H            |
|                      |                 | 30-3040    | B     | 2    | 24.875 | 3.000 | 0.563 | 9S            |
| 12x30                | B21-005-641     | 30-3038    | R RAD | 6,10 | 14.750 | 3.930 | 0.688 | 5H            |
|                      |                 | 30-3037    | B     | 4    | 14.500 | 4.438 | 0.688 | 5S            |
| 14x16                | B21-006-201     | 30-6433    | R REV | 3    | 15.750 | 3.938 | 0.563 | 4H            |
|                      |                 | 30-6434    | R REV | 2    | 15.750 | 3.938 | 0.563 | 5H            |
|                      |                 | 30-8344    | R RAD | 3    | 17.750 | 3.500 | 0.562 | 4H            |
|                      |                 | 30-6432    | B     | 1    | 15.875 | 3.000 | 0.563 | 6S            |
| 30-8616              | B21-006-202     | 30-6448    | R REV | 3    | 19.750 | 3.938 | 0.563 | 5H            |
|                      |                 | 30-6643    | R REV | 2    | 19.750 | 3.938 | 0.563 | 6H            |
|                      |                 | 30-8148    | R     |      | 19.750 | 3.500 | 0.562 | 5H            |
|                      |                 | 30-6447    | B     | 1    | 19.875 | 3.000 | 0.563 | 8S            |
| 14x28                | B21-005-023     | 30-3063    | R RAD | 3,5  | 27.750 | 3.938 | 0.688 | 5H            |
|                      |                 | 30-3072    | B     | 2,4  | 28.000 | 3.907 | 0.688 | 8S            |

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                   | OEM PART #   | D&S PART # | KNIFE | QTY  | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------------------|--------------|------------|-------|------|--------|-------|-------|---------------|
| <b>GLOUCESTER (GLOENCO) - continued</b> |              |            |       |      |        |       |       |               |
| 14x56                                   | B21-006-619  | 30-7100    | R RAD | 6,10 | 27.750 | 2.938 | 0.688 | 5H            |
|                                         | B21-006-618  | 30-6644    | R RAD | 5,14 | 25.750 | 2.938 | 0.688 | 5H            |
|                                         | B21-005-773  | 30-6189    | R RAD | 6,15 | 27.875 | 3.938 | 0.688 | 5H            |
|                                         | B21-005-024  | 30-3072    | B     | 2,4  | 28.000 | 3.907 | 0.688 | 8S            |
| 16x44                                   | B21-005-082  | 30-3073    | R RAD | 6    | 21.750 | 4.438 | 0.938 | 6H            |
|                                         | B21-005-504  | 30-3075    | R RAD | 10   | 21.750 | 3.438 | 0.938 | 6H            |
|                                         | B21-005-081  | 30-3074    | B     | 4    | 22.000 | 4.769 | 0.937 | 5S            |
|                                         | B21-006-527  | 30-6645    | R REV | 6    | 19.750 | 2.938 | 0.468 | 7H            |
| 40TP                                    | B21-006-528  | 30-6646    | B     | 2    | 19.938 | 2.438 | 0.468 | 7S            |
|                                         | B21-005-555  | 30-3076    | R REV | 6    | 24.750 | 2.938 | 0.468 | 9H            |
| 250TP                                   | B21-005-556  | 30-3041    | B     | 2    | 24.938 | 2.438 | 0.468 | 9S            |
| <b>GRANUTECH</b>                        |              |            |       |      |        |       |       |               |
| 6X6                                     | A66-0010-3   | 30-7747    | R HS  | 3    | 5.938  | 2.375 | 0.375 | 2H            |
| 8X10                                    | A810-002-03  | 30-7101    | R HS  | 3    | 9.938  | 2.375 | 0.500 | 2H            |
|                                         | A810-0213-3  | 30-7775    | R REV | 3    | 9.938  | 2.375 | 0.500 | 2H            |
|                                         | A810-003-02  | 30-7102    | B     | 2    | 9.875  | 1.750 | 0.375 | 4S            |
|                                         | A810-123803  | 30-8262    | R HS  | 3    | 9.750  | 2.375 | 0.470 | 2H            |
|                                         | A810-0216-3  | 30-7101C   | R HS  | 3    | 9.938  | 2.375 | 0.500 | 2H            |
|                                         | A810-0324-3  | 30-7775C   | R REV | 3    | 9.938  | 2.375 | 0.500 | 2H            |
|                                         | a810-1137-3  | 30-7775CR  | R REV | 3    | 9.938  | 2.375 | 0.500 | 2H            |
|                                         | A810-0958-3  | 30-7101CR  | R HS  | 3    | 9.938  | 2.375 | 0.500 | 2H            |
|                                         | A810-0215-2  | 30-7102C   | B     | 2    | 9.875  | 1.750 | 0.375 | 4S            |
|                                         | A810-0959-2  | 30-7102CR  | B     | 2    | 9.875  | 1.750 | 0.375 | 4S            |
| 8X12                                    | A812-0003-3  | 30-9340    | B     |      | 11.875 | 1.750 | 0.375 | 5S            |
| 10X12                                   | G1012-0002-3 | 30-7969    | R HS  | 3    | 11.875 | 2.375 | 0.500 | 2H            |
|                                         | G1012-0302-3 | 30-8137    | R REV | 3    | 11.875 | 2.375 | 0.500 | 2H            |
|                                         | G1012-0003-3 | 30-7968    | B     | 2    | 11.875 | 2.125 | 0.375 | 5S            |
|                                         | G1012-0820-3 | 30-8710CR  | R     |      | 10.000 | 2.375 | 0.375 | 2H            |
|                                         | G1012-0668-2 | 30-8335    | R REV | 4    | 11.875 | 1.875 | 0.500 | N             |
|                                         | G1012-0668-2 | 30-8335CR  | R REV | 4    | 11.875 | 1.875 | 0.500 | N             |

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                        | OEM PART #    | D & S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|------------------------------|---------------|--------------|-------|-----|--------|-------|-------|---------------|
| <b>GRANUTECH - continued</b> |               |              |       |     |        |       |       |               |
|                              | G1012-0090-3  | 30-7969C     | R HS  | 3   | 11.875 | 2.375 | 0.500 | 2H            |
|                              | G1012-0367-3  | 30-7969CR    | R HS  | 3   | 11.875 | 2.375 | 0.500 | 2H            |
|                              | G1012-0371-3  | 30-8137CR    | R REV | 3   | 11.875 | 2.375 | 0.500 | 2H            |
|                              | G1012-0091-3  | 30-7968C     | B     | 2   | 11.875 | 2.125 | 0.375 | 5S            |
|                              | G1012-0368-3  | 30-7968CR    | B     | 2   | 11.875 | 2.125 | 0.375 | 5S            |
|                              | G1030-0016-3  | 30-8127      | B     | 4   | 14.875 | 2.125 | 0.375 | 4S            |
| G1240                        | G1240-0096-3  | 30-8651      | R     | 6   | 19.750 | 3.625 | 0.625 | 5H            |
|                              | G1240-0014-3  | 30-8651CR    | R     | 6   | 19.750 | 3.625 | 0.625 | 5H            |
|                              | G1240-0097-3  | 30-8652      | B     | 4   | 19.875 | 2.375 | 0.500 | 5S            |
|                              | G1240-0020-3  | 30-8652CR    | B     | 4   | 19.875 | 2.375 | 0.500 | 5S            |
| 14X16, 12X16, 16X16          | A1416-0002-3  | 30-8015      | R HS  | 3   | 15.750 | 3.625 | 0.625 | 4H            |
|                              | A1416-0263-3  | 30-8115      | R REV | 3   | 15.875 | 3.375 | 0.625 | 4H            |
|                              | G1216-1149-3  | 30-9216      | R     | 3,5 | 15.875 | 2.438 | 0.625 | 5H            |
|                              | G1216-1150-3  | 30-9217      | B     | 2   | 15.875 | 2.375 | 0.500 | 5S            |
|                              | A1416-0003-3  | 30-8016      | B     | 2   | 15.875 | 2.375 | 0.500 | 5S            |
|                              | A1416-0720-3  | 30-8015S     | R HS  | 3   | 15.250 | 3.625 | 0.625 | 4H            |
|                              | A1416-0431-3  | 30-8015CR    | R HS  | 3   | 15.750 | 3.625 | 0.625 | 4H            |
|                              | A1416-0723-3  | 30-8015CRC   | R HS  | 3   | 15.750 | 3.625 | 0.625 | 4H            |
|                              | A1416-0262-3  | 30-8115CR    | R REV | 3   | 15.875 | 3.375 | 0.625 | 4H            |
|                              | A1416-0261-3  | 30-8016CR    | B     | 2   | 15.875 | 2.375 | 0.500 | 5S            |
|                              | A1416-0724-3  | 30-8016CRC   | B     | 2   | 15.875 | 2.375 | 0.500 | 5S            |
|                              | FRG816-0006-3 | 30-8172      | R HS  | 4   | 15.875 | 2.375 | 0.500 | 4H            |
|                              | FRG816-0005-3 | 30-8173      | B     | 2   | 15.937 | 1.750 | 0.375 | 4S            |
|                              | G2048-0019-3  | 30-8230      | B     | 4   | 23.875 | 2.875 | 0.625 | 7S            |
|                              | G2048-0080-3  | 30-8230CR    | B     | 4   | 23.875 | 2.875 | 0.625 | 7S            |
| 14X24, 16X24                 | G1424-0002-3  | 30-8052      | R HS  | 3   | 23.750 | 3.625 | 0.625 | 6H            |
|                              | G1424-0223-3  | 30-8100      | R REV | 3   | 23.750 | 3.563 | 0.625 | 6H            |
|                              | G1424-0003-3  | 30-8071      | B     | 2   | 23.875 | 2.375 | 0.500 | 7S            |
|                              | G1424-0258-3  | 30-8052C     | R HS  | 3   | 23.750 | 3.625 | 0.625 | 6H            |
|                              | G1424-0225-3  | 30-8100C     | R REV | 3   | 23.750 | 3.563 | 0.625 | 3H            |
|                              | G1424-0388-3  | 30-8052CR    | R HS  | 3   | 23.750 | 3.625 | 0.625 | 6H            |
|                              | G1424-0228-3  | 30-8100CR    | R REV | 3   | 23.750 | 3.563 | 0.625 | 6H            |
|                              |               |              |       |     |        |       |       |               |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                        | OEM PART #   | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|------------------------------|--------------|------------|-------|-----|--------|-------|-------|---------------|
| <b>GRANUTECH - continued</b> |              |            |       |     |        |       |       |               |
| 3648                         | G1424-0226-3 | 30-8071C   | B     | 2   | 23.875 | 2.375 | 0.500 | 7S            |
|                              | G1424-0229-3 | 30-8071CR  | B     | 2   | 23.875 | 2.375 | 0.500 | 7S            |
|                              | G3648-0007-C | 30-8707    | R     |     | 23.875 | 5.000 | 0.750 | 6S            |
| 3rd bed SPECIAL              |              | 30-8707CR  | R     |     | 23.875 | 5.000 | 0.750 | 6S            |
|                              |              | 30-8708    | B     |     | 23.938 | 3.878 | 0.750 | 7S            |
|                              | G3648-0017-C | 30-8708CR  | B     |     | 23.938 | 3.878 | 0.750 | 7S            |
|                              | G3648-0109-C | 30-8721CR  | B     |     | 23.938 | 3.878 | 0.750 | 9             |
| 16X32                        | G1632-1000-3 | 30-8073    | R HS  | 3   | 31.750 | 3.625 | 0.625 | 8H            |
|                              | G1632-1285-3 | 30-8248    | R REV | 3   | 31.750 | 3.562 | 0.625 | 8H            |
|                              | A1416-0003-3 | 30-8016    | B     | 4   | 15.875 | 2.375 | 0.500 | 5S            |
| HOG                          | G1632-1286-3 | 30-8248SCR | R REV | 3   | 31.500 | 3.562 | 0.625 | 8H            |
|                              | G1632-1286-3 | 30-8248CR  | R REV | 3   | 31.750 | 3.562 | 0.625 | 8H            |
|                              | G1632-1284-3 | 30-8073CR  | R HS  | 3   | 31.750 | 3.625 | 0.625 | 8H            |
| G20X30, G20X60               | G2030-1185-3 | 30-8236    | R REV | 3,6 | 29.000 | 3.562 | 0.625 | 7H            |
|                              | G2030-1235-3 | 30-8481    | R HS  | 3   | 29.750 | 3.625 | 0.625 | 7H            |
|                              | G2030-1164-3 | 30-8181    | B     | 4   | 14.857 | 2.875 | 0.625 | 4S            |
| HOG                          | G2030-1087-3 | 30-8093    | R HS  | 15  | 9.812  | 3.625 | 0.625 | 3H            |
|                              | G2030-1117-3 | 30-8101    | R REV | 15  | 9.812  | 3.562 | 0.625 | 3H            |
|                              | G2030-1284-3 | 30-8481CR  | R HS  | 3   | 29.750 | 3.625 | 0.625 | 7H            |
| HOG                          | G2030-1187-3 | 30-8514    | R REV | 3   | 29.750 | 3.562 | 0.625 | 7H            |
|                              | G2030-1188-3 | 30-8514CR  | R REV | 3   | 29.750 | 3.562 | 0.625 | 7H            |
|                              | G2030-1167-3 | 30-8181CR  | B     | 4   | 14.875 | 2.875 | 0.625 | 4S            |
| HOG                          | G2030-1118-3 | 30-8101C   | R REV | 15  | 9.812  | 3.562 | 0.625 | 3H            |
|                              | G2030-1116-3 | 30-8101CR  | R REV | 15  | 9.812  | 3.562 | 0.625 | 3H            |
| G20X60                       | G2060-1154-3 | 30-8297    | R HS  | 6   | 29.750 | 3.625 | 0.625 | 9H            |
|                              | G2030-1003-4 | 30-8055    | B     | 4   | 29.937 | 2.875 | 0.625 | 8S            |
|                              | G2030-1077-4 | 30-8055CR  | B     | 4   | 29.937 | 2.875 | 0.625 | 8S            |
| HOG                          | G2060-1006-3 | 30-8297CR  | R HS  | 6   | 29.750 | 3.625 | 0.625 | 9H            |
|                              | G2060-2093-3 | 30-8786CR  | R REV | 6   | 29.750 | 3.562 | 0.625 | 9H            |
|                              | G2060-2002-3 | 30-8615    | R     | 6   | 29.750 | 3.562 | 0.625 | 9H            |
| G2072                        | G1424-0002-3 | 30-8052    | R HS  | 9   | 23.750 | 3.625 | 0.625 | 6H            |
|                              | G2072-0013-4 | 30-9004    | B     | 8   | 35.939 | 2.878 | 0.328 | 10S           |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                          | OEM PART #      | D & S PART # | KNIFE     | QTY | L      | H     | W     | HOLE/<br>SLOT |
|--------------------------------|-----------------|--------------|-----------|-----|--------|-------|-------|---------------|
| <b>GRANUTECH - continued</b>   |                 |              |           |     |        |       |       |               |
| G20X84                         | G2084-0025-4M15 | 30-9097      | R         | 15  | 27.750 | 3.625 | 0.620 | 7H            |
|                                | G2084-0024-4    | 30-9096      | B         | 6   | 27.940 | 2.878 | 0.628 | 8S            |
| FRG30                          | FRG30-0031-3    | 30-8056      | R HS      | 8   | 14.875 | 2.375 | 0.500 | 4H            |
|                                | FRG30-0123-3    | 30-8489      | R         | 8   | 14.875 | 2.375 | 0.500 | 4H            |
|                                | FRG30-0153-3    | 30-8489CR    | R         | 8   | 14.875 | 2.375 | 0.500 | 4H            |
|                                | FRG30-0005-3    | 30-8057      | B         | 4   | 14.937 | 1.750 | 0.375 | 4S            |
|                                | FRG30-0154-3    | 30-8057CR    | B         | 4   | 14.937 | 1.750 | 0.375 | 4S            |
|                                |                 |              |           |     |        |       |       |               |
| FRG840                         | FRG840-0167-3   | 30-8624CR    | R HS      | 6,8 | 19.875 | 2.375 | 0.500 | 5H            |
|                                | FRG840-0082-3   | 30-8623CR    | B REV     | 4   | 19.875 | 1.750 | 0.375 | 5S            |
|                                | FRG840-0083-3   | 30-8633CR    | R REV     | 6,8 | 19.875 | 2.375 | 0.500 | 5H            |
|                                | FRG840-0004-3   | 30-8623      | B REV     | 4   | 19.875 | 1.750 | 0.375 | 5S            |
|                                | FRG840-0010-3   | 30-8624      | R         | 8   | 19.875 | 2.375 | 0.500 | 5H            |
|                                |                 |              |           |     |        |       |       |               |
| G36X36                         | G3636-0042-3    | 30-8314CR    | R HS      | 3   | 35.750 | 5.000 | 0.750 | 9H            |
|                                | G3636-0061-3    | 30-8315CR    | B         | 4   | 17.938 | 3.875 | 0.750 | 5S            |
| <b>GRANUTECH GRIZZLEY</b>      |                 |              |           |     |        |       |       |               |
|                                |                 | 30-8873      | R         | 50  | 7.750  | 2.500 | 1.206 | 3H            |
|                                |                 | 30-8874      | B         | 10  | 7.750  | 3.500 | 1.005 | 3S            |
| <b>HERBOLD</b>                 |                 |              |           |     |        |       |       |               |
|                                |                 | 30-8603      | R         | 9   | 10.250 | 3.750 | 0.875 | 2S            |
|                                | 10.205.101      | 30-8703      | R         |     | 10.625 | 2.756 | 0.630 | 2S            |
|                                |                 | 30-8604      | B         | 2   | 11.500 | 3.250 | 0.875 | 4S            |
| SMS-45-100-H5-3 LMV 450/1000   | 10-205-203      | 30-8945      | R         |     | 19.075 | 3.937 | 0.886 | 3S            |
| 45/100                         | 11-204-104      | 30-8601      | B         | 2   | 39.170 | 3.937 | 0.866 | 8S            |
| SMS 45/100 60/100 80/100       | 10.204.215      | 30-8800      | Deflector | 2   | 19.094 | 3.397 | 1.102 | 4S            |
| 60/100                         |                 | 30-9242      | R         |     | 19.090 | 3.937 | 0.866 | 3S            |
|                                |                 | 30-9381      | R         |     | 19.436 | 3.937 | 0.875 | 4S            |
| SMS-45/60                      | 10.205.204.3    | 30-8674      | R KE      | 10  | 22.362 | 3.937 | 0.866 | 4S            |
| SMS 4560/8060/6060/30120/80120 | 10.204.216      | 30-8778      | B         | 4   | 22.550 | 3.930 | 1.102 | 4S            |
| SMS-45/60                      | 11.204.102.3    | 30-8699      | B         |     | 23.425 | 3.937 | 0.866 | 6S            |
| SMS 4560                       | 11.204.121      | 30-8769      | B         |     | 23.425 | 3.937 | 0.866 | 6S            |
| SMS 450/600                    | 10.205.400.3    | 30-8669      | R KE      |     | 22.360 | 3.937 | 1.100 | 4S            |
| SMS600                         | 10.205.411.3    | 30-8676      | R HS      |     | 22.360 | 3.937 | 1.100 | 4S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**



# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                       | OEM PART #   | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------|--------------|------------|-------|-----|--------|-------|-------|---------------|
| <b>HERBOLD - continued</b>  |              |            |       |     |        |       |       |               |
| SMS 45/80                   | 10.205.202.3 | 30-8668    | R     |     | 15.157 | 3.937 | 0.866 | 3S            |
| SMS 80/160                  |              | 30-9269    | R     |     | 15.157 | 3.937 | 0.866 | 3S            |
|                             |              | 30-8691    | R     |     | 15.157 | 3.937 | 0.866 | 3S            |
|                             | 11.204.103   | 30-8644    | B     |     | 31.300 | 3.937 | 0.866 | 8S            |
|                             |              | 35-0509    | Block |     | 15.276 | 3.937 | 1.102 | 3S            |
| SMS 45120/2                 | 11.204.107.3 | 30-8701    | B     |     | 23.189 | 3.937 | 0.866 | 6S            |
| SMS 3050                    | 10-205-102.0 | 30-8671    | R     | 5   | 26.378 | 2.756 | 0.630 | 3S            |
|                             | 11.204.003.3 | 30-8672    | B     |     | 19.291 | 3.346 | 0.630 | 4S            |
| SML/SMS 3080                | 10.205.103.3 | 30-8702    | R     |     | 30.315 | 2.756 | 0.630 | 5S            |
|                             | 11.204.004   | 30-8700    | B     |     | 31.102 | 3.346 | 0.630 | 6S            |
| SMS 4511, SMS60100 SMS80100 | 10.205.205   | 30-8816    | R     | 9   | 38.189 | 3.937 | 0.866 | 6S            |
| SMS 80/120                  | 11.204.105.3 | 30-8675    | B     | 1   | 46.378 | 3.937 | 0.866 | 12S           |
|                             | 10-205-323   | 30-9161    |       |     | 23.228 | 3.543 | 0.708 | 6S            |
|                             | 10-205-323R  | 30-9162    |       |     | 23.228 | 3.346 | 0.708 | 6S            |
|                             | 10-204-564-3 | 30-9163    |       |     | 23.700 | 3.543 | 0.787 | 6 S           |
| 1200                        |              | 30-9188    | R     |     | 25.063 | 3.937 | 0.866 | 4S            |
|                             |              |            | B     |     | 25.750 | 3.937 | 0.866 | 6S            |
| 1600                        |              | 30-9262    | R     |     | 15.158 | 3.937 | 0.870 | 3S            |
|                             |              | 30-9263    | B     |     | 31.340 | 3.937 | 0.865 | 8S            |
| 1600 BLOCK KNIFE            |              | 30-9063    |       |     | 30.560 | 1.970 | 1.970 | 6H            |
| <b>HYDRECLAIM</b>           |              |            |       |     |        |       |       |               |
| 8x8                         | R-B00115     | 30-8278    | R KE  | 4   | 8.000  | 2.750 | 0.500 | 2H            |
|                             |              | 30-8690    | B     |     | 8.250  | 2.745 | 0.500 | 3S            |
|                             | R-B00114     | 30-8279    | B     | 1   | 8.250  | 2.750 | 0.500 | 3S            |
| 8x12                        | 44003        | 30-8558    | R KE  |     | 12.000 | 2.750 | 0.500 | 3H            |
|                             |              | 30-8695    | B     |     | 12.250 | 2.750 | 0.500 | 4S            |
| 12x18                       | R-C0034A3    | 30-7832    | R KE  | 2,4 | 17.750 | 3.000 | 0.625 | 3H            |
|                             | R-C0037A     | 30-7539    | B     | 1   | 18.250 | 4.000 | 0.625 | 4S            |
|                             | R-C0034A-3   | 30-7540    | R KE  | 2,4 | 17.750 | 3.000 | 0.625 | 3H            |
| 18x24                       |              | 30-8549    | R     |     | 23.470 | 4.000 | 1.000 | 4S            |
|                             |              | 30-8550    | B     |     | 23.625 | 6.281 | 1.250 | 4S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                         | OEM PART #          | D&S PART # | KNIFE | QTY   | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------------------------|---------------------|------------|-------|-------|--------|-------|-------|---------------|
| <b>MTB</b>                                    |                     |            |       |       |        |       |       |               |
| MTBDU2400/1600 SHREDDER                       | 03W6-7610-1         | 30-8678    | R     |       | 7.677  | 2.205 | 1.102 | 3H            |
| <b>NELMOR</b>                                 |                     |            |       |       |        |       |       |               |
| G6X6M1                                        | G1-218B, G1-86B     | 30-7186    | R HS  | 2,3   | 5.625  | 2.125 | 0.375 | 3H            |
|                                               | G1-212B, G1-23B     | 30-7188    | B     | 2     | 5.968  | 1.687 | 0.375 | 3S            |
| G68                                           | G86-0271            | 30-8570    | R     |       | 7.500  | 2.625 | 0.313 | 2H            |
| MA88 Mini Auger                               | G2-118, G2-001      | 30-8458    | R     | 3     | 7.750  | 2.380 | 0.312 | 3H            |
|                                               | G2-493, G2-286      | 30-8461    | R     | 3     | 7.750  | 2.187 | 0.312 | 3H            |
|                                               | G2-117, G2-002      | 30-8462    | B     | 2     | 7.937  | 1.880 | 0.380 | 2S            |
| G8X10, RG8X10M1                               | G5-689B, G5-94B     | 30-7189    | R HS  | 2,3   | 9.500  | 2.375 | 0.438 | 6H            |
| AN 10X10                                      | G5-583, G5-396      | 30-8211    | R REV | 2,3   | 9.500  | 2.187 | 0.437 | 6H            |
| AN 1010VL                                     | G5-584B, G5-17B     | 30-7190    | B     | 2     | 9.938  | 1.875 | 0.375 | 5S            |
| AN-10X10M, LB-10X10,<br>701                   | D1-28               | 30-8301    | R RAD | 2     | 10.000 | 1.250 | 0.250 | 3H            |
|                                               | D1-27B              | 30-8302    | B     | 1     | 10.469 | 1.875 | 0.635 | 3S            |
| G1012M                                        | G103391B            | 30-8619    | R     |       | 11.893 | 2.750 | 0.500 | 7H            |
| G10X12-M1<br>9X11                             | G10-1063B, G10-120B | 30-7191    | R HS  | 2,3   | 11.500 | 2.750 | 0.500 | 7H            |
|                                               | G10-1045, G10-587   | 30-8209    | R REV | 2,3   | 11.500 | 2.601 | 0.500 | 7H            |
|                                               | G10-1046, G10-27B   | 30-7193    | B     | 2     | 11.938 | 2.484 | 0.500 | 7S            |
| 10X12RG-II                                    | G75-0028            | 30-8294    | R HS  | 3     | 13.750 | 3.625 | 0.625 | 5H            |
|                                               | G75-0065            | 30-8272    | B     | 2     | 13.956 | 3.172 | 0.625 | 5S            |
| N16X28, G1628                                 | G75-0012            | 30-8294    | R HS  | 3     | 13.750 | 3.625 | 0.625 | 5H            |
|                                               | G75-0253            | 30-8353    | R REV | 6,10  | 13.750 | 3.442 | 0.625 | 5H            |
|                                               | G75-0065, G75-0025  | 30-8295    | B     |       | 13.956 | 3.172 | 0.625 | 5S            |
| G-7X15H                                       | 30-7771             | 30-7771    | R HS  | 3     | 14.500 | 2.375 | 0.500 | 6H            |
|                                               | 30-7772             | 30-7772    | B     | 2     | 14.938 | 2.625 | 0.500 | 6S            |
| G12X15, RG12X15M1                             | G15-806, G15-89     | 30-7194    | R HS  | 2,3   | 14.500 | 3.625 | 0.625 | 5H            |
| RG12X15, RG12X15GM1                           | G15-810, G14-436    | 30-8149    | R REV | 2,3,9 | 14.500 | 3.437 | 0.625 | 5H            |
|                                               | G15-805, G15-17     | 30-7195    | B     | 2     | 14.968 | 2.750 | 0.625 | 5S            |
| G12295M1, RG12295M1<br>12295RG11,<br>G16295M1 | G15-806, G15-89     | 30-7194    | R HS  | 2,3   | 14.500 | 3.625 | 0.625 | 5H            |
|                                               | G15-810, G15-436    | 30-8149    | R REV | 2,3,9 | 14.500 | 3.437 | 0.625 | 5H            |
|                                               | G22-634C, G22-11B   | 30-7201    | B     | 2     | 14.718 | 2.750 | 0.625 | 5S            |
|                                               | G59-144             | 30-8382    | B     |       | 14.714 | 3.193 | 0.314 | 5S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                             | OEM PART #         | D&S PART # | KNIFE | QTY    | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------------|--------------------|------------|-------|--------|--------|-------|-------|---------------|
| <b>NELMOR - continued</b>         |                    |            |       |        |        |       |       |               |
| MODEL 18X30                       | G15-806, G15-89    | 30-7194    | R HS  | 2,3    | 14.500 | 3.625 | 0.625 | 5H            |
| G20 X 45                          | G15-810, G15-436   | 30-8149    | R REV | 2,3,9  | 14.500 | 3.437 | 0.625 | 5H            |
| G30 x 30                          | G32-455C, G32-137  | 30-7376    | B REV | 2      | 14.718 | 3.178 | 0.625 | 5S            |
| G3030HD (rotor only uses std bed) | G80-0658           | 30-8296    | RHS   | 10     | 14.500 | 3.937 | 1.000 | 5H            |
| G12295                            | G22-1697           | 30-8291    | R REV | 5      | 14.500 | 2.875 | 0.625 | 5H            |
|                                   | G22-1698           | 30-8290    | B     | 2      | 14.718 | 2.625 | 0.750 | 5S            |
| G14X16M1                          | G13-018, G13-062   | 30-8220    | R KE  | 3      | 15.875 | 3.313 | 0.500 | 4H            |
| G16X16                            | G13-017            | 30-8561    | B     | 2      | 16.172 | 3.933 | 0.500 | 4S            |
|                                   | G13-415, G13-389   | 30-8311    | B     | 2      | 16.195 | 2.750 | 0.625 | 6S            |
|                                   | G13-222            | 30-8411    | R     | 3      | 15.875 | 3.313 | 0.500 | 4H            |
|                                   | G13-017            | 30-8412    | B     | 2      | 16.177 | 3.937 | 0.500 | 4S            |
| M1634                             | G78-0601           | 30-8530    | R     |        | 16.750 | 3.620 | 0.625 | 4H            |
|                                   | G78-0604           | 30-8531    | R     |        | 16.750 | 3.432 | 0.625 | 4H            |
| N1634                             | G78-0681, G78-0012 | 30-8322    | R HS  | 6      | 16.750 | 3.625 | 0.625 | 7H            |
|                                   | G78-0213           | 30-8361    | R REV | 6      | 16.750 | 3.442 | 0.625 | 7H            |
|                                   | G78-0277           | 30-8423    | R REV | 6      | 16.750 | 3.432 | 0.625 | 7H            |
|                                   | G78-0065, G78-0025 | 30-8323    | B     | 4      | 16.956 | 3.172 | 0.625 | 6S            |
| G1436MB                           | G33-622            | 30-8560    | R     | 4,6,10 | 17.875 | 3.562 | 0.750 | 6H            |
| G14X36MB,M1, G2036,G2426M1        | G37-578B, G37-3    | 30-7236    | R HS  | 4,6,10 | 17.875 | 3.750 | 0.750 | 6H            |
|                                   |                    | 30-6474    | R REV | 4,6,10 | 17.875 | 3.563 | 0.750 | 6H            |
| <b>2436 M-2 Hog</b>               |                    | 30-9357    | R REV | 20     | 8.900  | 3.937 | 1.000 | 4H            |
| G30X36M1                          | G37-564, G37-548   | 30-7219    | B     | 4      | 17.937 | 3.500 | 0.750 | 6S            |
| G14X36MB,M1,G2036MB,G1454MB       | G33-621, G33-140   | 30-6192    | R HS  | 4,6,10 | 17.875 | 3.938 | 1.000 | 6H            |
| G20X54MB,G24X36M1,                | G37-565            | 30-8492    | R     | 4,6,10 | 17.875 | 3.714 | 1.000 | 6H            |
| G30X36M1                          | G37-564, 37-548    | 30-7219    | B     | 3      | 17.937 | 3.500 | 0.750 | 6S            |
|                                   | G42-135            | 30-8447    | B     | 3      | 17.937 | 3.500 | 0.750 | 6S            |
|                                   |                    | 30-7474    | R HS  | 6,10   | 17.875 | 4.500 | 1.000 | 6H            |
|                                   | G37-544            | 30-8524    | R     |        | 17.875 | 4.530 | 1.000 | 6H            |
| G30X36M2, G2436M2                 | G37-581, G37-359C  | 30-7158    | R HS  | 10     | 17.875 | 4.750 | 1.375 | 6H            |
| HOG MACHINES                      | G37-564, G37-548   | 30-7219    | B     | 4      | 17.937 | 3.500 | 0.750 | 6S            |
| G14X36,G20X36                     | G37-759            | 30-8210    | B     | 2      | 17.937 | 3.500 | 0.750 | 6S            |

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                       | OEM PART #         | D & S PART # | KNIFE | QTY   | L      | H     | W     | HOLE/<br>SLOT |
|---------------------------------------------|--------------------|--------------|-------|-------|--------|-------|-------|---------------|
| <b>NELMOR - continued</b>                   |                    |              |       |       |        |       |       |               |
| G20X56MB                                    | G51-186, G51-184   | 30-8367      | R REV | 15,21 | 18.562 | 3.868 | 1.000 | 6H            |
|                                             | G51-0400B          | 30-8232      | R HS  | 20    | 13.920 | 3.940 | 1.000 | 4H            |
|                                             | G51-185, G51-002   | 30-8233      | R REV | 15,21 | 18.562 | 3.940 | 1.000 | 6H            |
|                                             | G51-190, G51-001   | 30-8231      | B     | 6     | 18.646 | 3.500 | 0.750 | 6S            |
| 737                                         |                    | 30-8408RH    | R     | 6     | 18.550 | 4.270 | 1.125 | 4H            |
|                                             |                    | 30-8408LH    | R     | 6     | 18.550 | 4.270 | 1.125 | 4H            |
| MODEL #37 1/2                               |                    | 30-6301      | R SA  | 4     | 18.500 | 4.250 | 0.750 | 6H            |
| MODEL #81                                   |                    | 30-3178LH    | R SA  | 6,10  | 18.500 | 4.250 | 0.750 | 6H            |
| G22X38, G22X57                              | G77-0141           | 30-8307      | R HS  | 15    | 18.813 | 3.868 | 1.000 | 6H            |
|                                             | G77-0337, G77-0175 | 30-8356      | R HS  | 10,15 | 18.813 | 3.938 | 1.000 | 6H            |
|                                             | G77-0262, G77-0177 | 30-8354      | R REV | 10,15 | 18.813 | 3.868 | 1.000 | 6H            |
|                                             | G76-0331B          | 30-8370      | B     | 4,6   | 18.916 | 4.250 | 0.750 | 6S            |
|                                             | G77-0261, G77-0142 | 30-8306      | B     | 6     | 18.916 | 3.688 | 0.750 | 6S            |
|                                             | G77-0229           | 30-8366      | B     | 4,6   | 18.916 | 3.688 | 0.750 | 5S            |
|                                             | G76-0330B          | 30-8369      | B     | 5,6   | 18.916 | 4.250 | 0.750 | 5S            |
|                                             | G77-0143           | 30-8360      | B     | 2,4   | 18.916 | 3.687 | 0.750 | 5S            |
|                                             | 535880-1           | 30-8089      | RREV  | 3,5   | 19.875 | 3.250 | 0.500 | 5H            |
|                                             | 635077             | 30-9006      | B     | 2,    | 20.134 | 2.677 | 0.500 | 7S            |
| GP1640                                      | CA0833140100       | 30-9005LH    | RREV  | 3,5   | 19.965 | 3.220 | 0.375 | 5H            |
|                                             | CA0833140200       | 30-9005RH    | RREV  | 3,5   | 19.965 | 3.220 | 0.375 | 5H            |
|                                             | 635077             | 30-9006      | B     | 4     | 20.134 | 2.677 | 0.500 | 7S            |
| G1220M1, RG1220M1, G1220RG11, G1220MH       | G20-1181, G20-12   | 30-6740      | R HS  | 2,3   | 19.500 | 3.625 | 0.625 | 7H            |
| G20X20                                      | G20-3705B          | 30-8407      | R REV | 2,3   | 19.500 | 3.437 | 0.625 | 7H            |
| 12X20M1                                     | G20-1183, G20-521  | 30-8419      | R REV | 2,3   | 19.500 | 3.442 | 0.625 | 7H            |
| G1220                                       | G20-4095           | 30-8564      | R     | 2,3   | 19.515 | 2.890 | 0.640 | 7H            |
| G12X20MH ROTOR ONLY                         | G20-1184           | 30-8422      | R HG  | 2,3   | 19.750 | 2.755 | 0.630 | NONE          |
| G1220RG11, 1220PI, 1220LS, G1620M1, 1620 P1 | G20-1180           | 30-6739      | B     | 2     | 19.968 | 2.750 | 0.625 | 7S            |
| G1620 MODEL ONLY                            | G73-0403, G73-0089 | 30-8316      | B     | 2     | 19.938 | 3.172 | 0.625 | 7S            |
| G1820, G2020                                | G27-077            | 30-8227      | B REV | 2     | 19.968 | 3.187 | 0.625 | 7S            |
| G1820, G2020                                | G27-116            | 30-8638      | B     |       | 19.968 | 3.193 | 0.630 | 7S            |

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                     | OEM PART #          | D&S PART # | KNIFE | QTY   | L      | H     | W     | HOLE/<br>SLOT |
|---------------------------|---------------------|------------|-------|-------|--------|-------|-------|---------------|
| <b>NELMOR - continued</b> |                     |            |       |       |        |       |       |               |
| G12X20P1                  | G20-3902            | 30-8273    | R REV | 15    | 3.900  | 2.875 | 0.630 | 2H            |
|                           | G20-4244            | 30-8429    | R REV |       | 3.900  | 2.875 | 0.630 | 2H            |
|                           | G20-1184, G20-1064  | 30-8422    | R REV | 2,3   | 19.750 | 2.755 | 0.630 | 7H            |
|                           | G20-3706            | 30-8464    | B     | 2     | 19.953 | 2.743 | 0.628 | 7S            |
|                           | G20-3897            | 30-8274    | B     | 2     | 19.968 | 2.620 | 0.750 | 6S            |
| G12X20                    | MINI-HOG            | 30-7788    | R HG  | 5     | 19.750 | 2.578 | 0.625 | 7H            |
| G10X22                    | G50-100B            | 30-8245    | R HS  | 5     | 21.000 | 2.875 | 0.687 | 9H            |
|                           | G50-6B              | 30-8244    | B     | 2     | 21.927 | 2.935 | 0.750 | 9S            |
| G14X56MB                  | G71-008             | 30-8240    | R HS  | 15    | 21.500 | 3.938 | 1.000 | 7H            |
|                           | G71-009B            | 30-8241    | B     | 6     | 21.630 | 3.500 | 0.750 | 7S            |
| G22X44, G22X66            | G79-0019            | 30-8292    | R REV | 6,10  | 21.938 | 3.873 | 1.000 | 7H            |
|                           | G79-0106, G79-0073  | 30-8384    | R HS  | 6,10  | 21.938 | 3.943 | 1.000 | 7H            |
|                           | G79-0104, G79-0071  | 30-8383    | R REV | 6,10  | 21.938 | 3.794 | 1.000 | 7H            |
|                           | G79-0105, G79-0023  | 30-8293    | B     | 4     | 22.000 | 3.693 | 0.750 | 7S            |
| G14X24M1,MB,              | G25-1397B / G25-121 | 30-3332    | R HS  | 2,3,5 | 23.500 | 3.750 | 0.750 | 8H            |
|                           | G25-1400            | 30-7754    | R REV | 2,3,5 | 23.500 | 3.750 | 0.750 | 8H            |
| G20X24MB                  | G25-1331B,G25-14    | 30-3334    | B     | 2,4   | 23.938 | 3.500 | 0.750 | 7S            |
|                           | G74-0325            | 30-8594    | R     | 2,3,5 | 23.500 | 3.442 | 0.625 | 9H            |
| G1624                     | G74-0311, G74-0098  | 30-8325    | R HS  | 2,3,5 | 23.500 | 3.620 | 0.625 | 9H            |
| G1624                     | G74-0310, G74-0049  | 30-8324    | B     | 2     | 23.938 | 3.172 | 0.625 | 8S            |
| G14X24M1SPEC              | G30-242B            | 30-8270    | R HS  | 3     | 23.875 | 3.750 | 0.750 | 4H            |
| G14X24M1,G14X24MB,        | G25-1332B, G25-831C | 30-7398    | R HS  | 2,3,5 | 23.500 | 3.938 | 1.000 | 8H            |
|                           | G25-1404            | 30-7504    | R REV | 2,3,5 | 23.500 | 3.750 | 1.000 | 8H            |
| G14X48M1,G20X24MB         | G25-1331B, G25-14   | 30-3334    | B     | 2,4   | 23.938 | 3.500 | 0.750 | 7S            |
| G1448( 8) HOLES ONLY      | G40-336B            | 30-7269    | B     | 4     | 23.937 | 3.500 | 0.750 | 8S            |
| G14X48                    | G41-342             | 30-8267    | R HS  | 15    | 23.200 | 4.750 | 1.375 | 8H            |
| G-14X48M, G14X48M1        | HOG TAPD            | 40-6144    | R KE  | 6,10  | 23.250 | 4.750 | 1.368 | 8H            |
| HOG M/CS ONLY             | G25-1331B, G25-14   | 30-3334    | B     | 2     | 23.938 | 3.500 | 0.750 | 7S            |
| G1448( 8) HOLES ONLY      | G40-336B            | 30-7269    | B     | 4     | 23.937 | 3.500 | 0.750 | 8S            |
| G24X48M1,G30X72           | G41-471             | 40-7230    | R HS  | 6,10  | 23.250 | 6.000 | 1.000 | 8H            |
|                           |                     | 40-7230C   | R HS  | 6,10  | 23.250 | 6.000 | 1.000 | 8H            |
|                           |                     | 35-0102    | R HS  | 15    | 23.250 | 4.500 | 1.000 | 8H            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                     | OEM PART # | D&S PART # | KNIFE  | QTY | L      | H     | W     | HOLE/<br>SLOT |
|---------------------------|------------|------------|--------|-----|--------|-------|-------|---------------|
| <b>NELMOR - continued</b> |            |            |        |     |        |       |       |               |
| G30X48,G30X72<br>HOG M/C  | G41-454    | 40-7229    | B      | 4   | 23.969 | 4.875 | 1.000 | 10S           |
|                           |            | 40-7229C   | B      | 4   | 23.969 | 4.875 | 1.000 | 10S           |
|                           | G41-342    | 30-8267    | R HS   | 15  | 23.250 | 4.750 | 1.000 | 8H            |
|                           | G41-454    | 40-7229    | B      | 4   | 23.969 | 4.875 | 1.000 | 10S           |
| <b>PAGANI</b>             |            |            |        |     |        |       |       |               |
| 30HP                      |            | 30-9232    | R      |     | 9.812  | 3.500 | 0.750 | 4H            |
|                           |            | 30-9233    | B      |     | 9.750  | 3.200 | 0.750 | 4S            |
|                           | 25100      | 30-8788LH  | R REV  | 3   | 9.935  | 2.797 | 0.587 | 3H            |
|                           | 25100      | 30-8788RH  | R REV  | 3   | 9.935  | 2.797 | 0.587 | 3H            |
|                           | 2550-FA    | 30-8807    | B      | 2   | 9.750  | 2.758 | 0.587 | 3S            |
|                           |            | 30-8508    | R      | 15  | 7.090  | 3.760 | 1.102 | 3H            |
|                           |            | 30-9248    | R      | 15  | 7.047  | 3.819 | 1.125 | 2H            |
|                           |            | 30-8509    | B      | 6   | 11.750 | 3.858 | 0.852 | 3S            |
|                           | 2235-HD    | 30-8388    | R KE   |     | 13.779 | 1.772 | 0.590 | 5H            |
| 2535-PA                   | 2235-HD    | 30-8389    | B      |     | 13.779 | 2.087 | 0.590 | 5S            |
|                           |            | 30-9260LH  | R REV  | 3   | 13.769 | 2.835 | 0.590 | 4H            |
|                           |            | 30-9260RH  | R REV  | 3   | 13.769 | 2.835 | 0.590 | 4H            |
|                           |            | 30-9261    | B      | 4   | 13.647 | 2.813 | 0.590 | 4S            |
| 4090 / 4590               |            | 30-8790    | R LH   | 3   | 12.410 | 3.920 | 0.843 | 3H            |
|                           |            | 30-8791    | R CNTR | 3   | 12.910 | 3.920 | 0.843 | 3H            |
|                           |            | 30-8792    | R RH   | 3   | 12.410 | 3.920 | 0.843 | 3H            |
|                           |            | 30-8793    | B      | 6   | 11.738 | 3.812 | 0.843 | 3S            |
| 4090                      |            | 30-9235LH  | R      | 5   | 17.657 | 3.819 | 0.837 | 5H            |
|                           |            | 30-9235RH  | R      | 5   | 17.758 | 3.819 | 0.840 | 5H            |
|                           |            | 30-9234    | B      | 4   | 17.724 | 3.819 | 0.840 | 4S            |
| <b>PALLMAN</b>            |            |            |        |     |        |       |       |               |
| PS-4-5                    | 590.5.001  | 30-8424    | R      |     | 13.779 | 3.937 | 0.787 | 3S            |
|                           | 1005120    | 30-7359    | R KE   | 6   | 9.842  | 3.150 | 0.787 | 3S            |
|                           | 105120     | 30-7358    | B      | 8   | 9.842  | 3.150 | 0.590 | 3S            |
| PS 8-6                    | 100.5.007  | 30-8420    | R KE   | 6   | 23.662 | 4.330 | 0.945 | 6S            |
|                           | 583.5.001  | 30-9105    | B      | 2   | 21.261 | 3.937 | 0.797 | 6S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                      | OEM PART #     | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|----------------------------|----------------|------------|-------|-----|--------|-------|-------|---------------|
| <b>PALLMAN - continued</b> |                |            |       |     |        |       |       |               |
|                            |                | 30-9037    | B     | 4   | 21.250 | 4.000 | 0.825 | 6S            |
|                            |                | 30-8713    | R     |     | 21.625 | 3.968 | 0.812 | 5S            |
|                            |                | 40-7225    | R KE  | 22  | 23.625 | 5.906 | 0.945 | 5S            |
|                            | 195.37         | 30-8425    | R     |     | 24.605 | 4.294 | 0.944 | 7S            |
|                            | 195.38         | 30-8426    | B     |     | 25.118 | 3.938 | 0.787 | 5S            |
| FS-4                       | 325.51.101     | 30-8261    | R KE  | 4   | 23.622 | 3.346 | 0.787 | 8S            |
|                            | 1005374        | 30-8577    | R     |     | 17.716 | 4.330 | 0.787 | 5S            |
|                            | 316.5.001      | 30-8437    | R KE  |     | 17.717 | 3.937 | 0.787 | 5S            |
| PSP-4-519                  |                | 30-8347    | R HS  | 9   | 19.685 | 3.925 | 0.787 | 4S            |
|                            | 361.5.009      | 30-8515    | R KE  | 9   | 19.685 | 3.937 | 0.787 | 4S            |
|                            |                | 30-8348    | B     | 4   | 9.842  | 3.145 | 0.590 | 3S            |
|                            |                | 30-8349    | B     | 2   | 9.842  | 3.071 | 0.590 | 3S            |
|                            | 325.51.103     | 30-8260    | B     | 3   | 24.016 | 3.937 | 0.787 | 6S            |
|                            | 325.5.002      | 30-8204    | R KE  | 12  | 30.709 | 8.661 | 0.787 | 9S            |
|                            |                | 30-8718    | B     | 2   | 46.000 | 3.370 | 0.785 | 10            |
| P58-6172                   |                | 30-9145    | B     |     | 7.874  | 1.102 | 1.102 | 3H            |
| <b>POLYMER (AMACOIL)</b>   |                |            |       |     |        |       |       |               |
| P4X6                       | 64474-A        | 30-6172    | R KE  | 2   | 5.500  | 1.250 | 0.313 | 3H            |
|                            | 64475-A        | 30-6173    | B     | 1   | 5.875  | 1.938 | 0.438 | 2S            |
| P4X6                       | 10760BA        | 30-8142    | R     | 2   | 6.000  | 2.000 | 0.500 | 3H            |
|                            | 10759BA        | 30-8143    | B     | 1   | 6.125  | 1.875 | 0.438 | 2S            |
| P6X8                       | 60664-B        | 30-6170    | R KE  | 2   | 7.750  | 1.677 | 0.438 | 3H            |
|                            | 64384-B        | 30-7024    | R REV | 2   | 7.500  | 2.563 | 0.563 | 3H            |
|                            | 60227-B(60663) | 30-6171    | B     | 1   | 7.875  | 1.875 | 0.438 | 3S            |
|                            | 63047-B        | 30-6365    | R REV | 2   | 7.750  | 2.563 | 0.563 | 3H            |
|                            | 64687-B        | 30-7404    | R REV | 2   | 7.875  | 2.563 | 0.563 | 3H            |
| 8x8                        | AOA001368-B    | 30-7551    | R HS  | 3   | 7.875  | 2.375 | 0.375 | 2H            |
|                            | 6129           | 30-6507    | B     | 2   | 7.875  | 1.750 | 0.375 | 3S            |
| AFG 10x10                  | XA 06552       | 30-6421    | R HS  | 3   | 9.750  | 2.750 | 0.500 | 6H            |
|                            | 6173           | 30-6508    | R HS  | 3,4 | 9.625  | 3.500 | 0.500 | 2S            |
|                            | 6169           | 30-6125    | B     | 2   | 9.875  | 2.000 | 0.500 | 4S            |
|                            | 10A000081-C    | 30-7513    | R REV |     | 9.875  | 2.625 | 0.500 | 6H            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                | OEM PART #        | D&S PART # | KNIFE | QTY  | L      | H     | W     | HOLE/<br>SLOT |
|--------------------------------------|-------------------|------------|-------|------|--------|-------|-------|---------------|
| <b>POLYMER (AMACOIL) - continued</b> |                   |            |       |      |        |       |       |               |
| SS117, SS67, SS87, 18268             | 18268             | 30-8856    | R     |      | 2.542  | 1.793 | 0.490 | 2S            |
| SS117                                | 18273-B           | 30-8758    | B     |      | 10.560 | 1.790 | 0.535 | 3S            |
| 9X12                                 | 64385-C           | 30-7027    | R REV | 2    | 11.593 | 2.938 | 0.563 | 4H            |
|                                      | 60229B, 60666B    | 30-6174    | R KE  | 2    | 11.500 | 2.438 | 0.563 | 4H            |
|                                      | 60665-B           | 30-6175    | B     | 1    | 11.813 | 2.427 | 0.563 | 4S            |
|                                      | 62808-B           | 30-6449    | R REV | 2    | 11.625 | 2.938 | 0.563 | 4H            |
|                                      | 62857-B           | 30-6504    | R KE  | 2    | 11.500 | 2.938 | 0.563 | 4H            |
| P12X25                               | 60672-A           | 30-6312    | R KE  | 6    | 12.000 | 3.938 | 0.938 | 4H            |
|                                      | 60671-A           | 30-6310    | B     | 4    | 12.500 | 3.938 | 0.938 | 4S            |
| 45/100CL                             | 21444             | 30-8832    | R     |      | 13.386 | 3.543 | 0.984 | 3S            |
|                                      |                   | 30-8992    | B     |      | 41.250 | 4.000 | 0.793 | 7S            |
| P11X16                               | 64386-C           | 30-7028    | R REV | 2    | 15.500 | 2.938 | 0.563 | 6H            |
|                                      | 5813-DA           | 30-8128    | R REV | 3    | 15.500 | 2.937 | 0.563 | 4H            |
|                                      | 60667-C           | 30-6177    | B     | 1    | 15.875 | 2.938 | 0.563 | 6S            |
|                                      | 63067-C           | 30-6556    | R REV | 2    | 15.500 | 2.938 | 0.563 | 6H            |
|                                      | 60231-C & 60668-C | 30-6176    | R HS  | 2    | 15.500 | 2.938 | 0.563 | 6H            |
| GU 14X21                             | GU1421-0071-3     | 30-6500    | R HS  | 5    | 20.500 | 3.875 | 0.625 | 5H            |
|                                      | GU1421-0018-3     | 30-6541    | B     | 4    | 10.437 | 2.500 | 0.625 | 4S            |
| 1421                                 |                   | 30-9184    | R     |      | 20.500 | 3.880 | 0.625 | 5H            |
| MODEL #81                            |                   | 30-3178RH  | R SA  | 6,10 | 18.500 | 4.250 | 0.750 | 6H            |
|                                      | 63351-D           | 30-6657    | B     | 4    | 18.800 | 3.875 | 0.875 | 5S            |
|                                      | 63253-B           | 30-8375    | R     | 12   | 20.250 | 4.312 | 1.125 | 4H            |
| MODEL 12X19                          | DR#5004-8D        | 30-8110    | R KE  | 3    | 18.500 | 2.500 | 0.562 | 7H            |
| P11X20, P16X20                       | 64387-C           | 30-7029    | R REV | 2    | 19.500 | 2.938 | 0.563 | 7H            |
|                                      | 64388             | 30-9361    | R     |      | 19.362 | 3.875 | 0.687 | 4H            |
|                                      | 60669-C           | 30-6180    | B     | 1    | 19.875 | 2.938 | 0.563 | 7S            |
|                                      | 63072-C           | 30-6555    | R REV | 2    | 19.500 | 2.938 | 0.563 | 7H            |
|                                      | 60670-C           | 30-6179    | R HS  | 2    | 19.500 | 2.938 | 0.563 | 7H            |
| 11x20 HM                             | A0A000251-D       | 40-6182    | R REV | 3    | 19.606 | 2.938 | 0.563 | 5H            |
|                                      | 62189-C           | 30-6230    | R KE  | 4    | 19.500 | 2.938 | 0.563 | 4H            |
|                                      | 60669-C           | 30-6180    | B     | 1    | 19.875 | 2.938 | 0.563 | 7S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**



# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                | OEM PART #      | D & S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|--------------------------------------|-----------------|--------------|-------|-----|--------|-------|-------|---------------|
| <b>POLYMER (AMACOIL) - continued</b> |                 |              |       |     |        |       |       |               |
| 14X27                                | G14270170       | 30-6435      | R HS  | 5   | 13.312 | 3.875 | 0.625 | 3H            |
|                                      | G14270005       | 30-6509      | B     | 4   | 13.437 | 2.500 | 0.625 | 5S            |
|                                      | G14270004       | 30-9201      | R     | 4   | 14.625 | 3.880 | 0.625 | 5H            |
| P12X20,16X20                         | 63853-C         | 30-6782      | R REV | 3   | 19.250 | 3.214 | 1.063 | 4H            |
|                                      | 60669-C         | 30-6180      | B     | 1   | 19.875 | 2.938 | 0.563 | 7S            |
| P16X20 NEW                           | 12451-C         | 30-8206      | R REV | 3   | 19.500 | 3.523 | 0.562 | 4H            |
|                                      | 12461-B         | 30-8205      | B     | 2   | 19.813 | 2.537 | 0.562 | 5S            |
| P20X40                               | 60554-B         | 30-6185      | R HS  | 6   | 20.000 | 3.875 | 0.938 | 4H            |
|                                      | 60555-B         | 30-6186      | B     | 4   | 20.455 | 3.875 | 0.938 | 6S            |
| P20X40H                              | 64259-C         | 30-6956      | R REV | 12  | 10.750 | 4.375 | 0.938 | 3H            |
| 2042                                 | 18127-C         | 30-8694      | R REV | 3   | 41.500 | 3.938 | 0.700 | 8H            |
|                                      | 18128           | 30-8705      | B     | 2   | 41.376 | 2.940 | 0.700 | 8S            |
|                                      | 15211           | 30-8836      | R     | 6   | 20.810 | 3.938 | 0.700 | 4H            |
|                                      | 15212           | 30-8837      | B     | 4   | 20.630 | 2.937 | 0.700 | 4S            |
| LSH 800-1200                         | 26011           | 30-9333      | R     |     | 22.362 | 3.937 | 0.866 | 4S            |
|                                      | 26012           | 30-9352      | B     |     | 46.378 | 3.937 | 0.866 | 12S           |
|                                      | 26361           | 30-9344      | BLOCK |     | 22.559 | 3.937 | 1.102 | 4S            |
| P16X24                               | 8003DA          | 30-8030      | R REV | 2   | 23.500 | 3.523 | 0.562 | 7H            |
|                                      | 12438-C         | 30-8198      | R REV | 3   | 23.500 | 3.523 | 0.562 | 5H            |
|                                      | 80002CA         | 30-8031      | B     | 2   | 23.812 | 2.537 | 0.562 | 7S            |
| P15X26                               | 60674-C         | 30-6182      | R HS  | 3   | 25.250 | 3.875 | 0.687 | 5H            |
|                                      | 60673-C         | 30-6183      | B     | 2   | 25.750 | 3.438 | 0.687 | 7S            |
|                                      | 60674-B         | 30-6637      | R KE  | 3   | 25.250 | 3.875 | 0.687 | 5H            |
|                                      | HMG-2652-0035-4 | 40-7222      | R HS  | 10  | 25.375 | 5.000 | 1.000 | 4H            |
| HMG 26x52                            | HMG-2652-0023-4 | 40-7223      | B     | 4   | 25.875 | 3.000 | 1.000 | 9S            |
| 20X30                                | 13393-C         | 30-8642      | R     | 3   | 29.500 | 3.937 | 0.700 | 5H            |
|                                      | 13394           | 30-8819      | B     | 2   | 29.625 | 2.938 | 0.700 | 6S            |
| P24X30                               | 65092-C         | 30-6503      | R REV | 6   | 14.750 | 4.375 | 0.938 | 3H            |
|                                      | 65085-C         | 30-6502      | B     | 2   | 30.313 | 3.500 | 0.625 | 6S            |
| P16X32                               | 7352D-A         | 30-8028      | R REV | 2   | 31.500 | 3.523 | 0.562 | 9H            |
|                                      | 12452           | 30-8820      | R REV | 2   | 31.500 | 3.523 | 0.562 | 7H            |
| P16X32                               | 7370CA          | 30-8029      | B     | 1   | 31.812 | 2.537 | 0.562 | 9S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                                | OEM PART #  | D&S PART # | KNIFE   | QTY | L      | H     | W     | HOLE/<br>SLOT |
|--------------------------------------|-------------|------------|---------|-----|--------|-------|-------|---------------|
| <b>POLYMER (AMACOIL) - continued</b> |             |            |         |     |        |       |       |               |
| PRS1800                              |             | 30-9202    | B       |     | 7.875  | 3.150 | 2.063 | 2S            |
| G61427-0004                          |             | 30-9201    | R       |     | 14.625 | 3.880 | 0.625 | 5H            |
| MODEL 20X36                          | 12767       | 30-8317    | R REV   | 6   | 17.781 | 3.937 | 0.700 | 3H            |
|                                      | 12769       | 30-8318    | B       | 4   | 35.875 | 2.937 | 0.700 | 8S            |
| <b>PREVIERO</b>                      |             |            |         |     |        |       |       |               |
| MU 180/150                           | 6" SHREDDER | 30-8714    | R HK    |     | 3.425  | 4.351 | 2.362 | 4H            |
|                                      |             | 30-8716    | R       |     | 17.323 | 1.732 | 0.708 | 4H            |
|                                      |             | 30-8715    | R       |     | 22.244 | 1.732 | 0.708 | 5H            |
|                                      | # 1 BED     | 30-8904    | R       |     | 29.528 | 3.858 | 0.945 | N             |
| MU405                                | # 2 BED     | 30-8905    | B       |     | 30.263 | 3.858 | 0.945 | 4S            |
|                                      |             | 30-8906    | B       |     | 30.236 | 4.449 | 0.945 | 4S            |
|                                      |             | 00-0000    | R       |     | 19.685 | 3.071 | 0.748 | NONE          |
| MU406                                | 00-0000     | 00-0000    | B       |     | 20.394 | 2.667 | 0.748 | NONE          |
|                                      |             | 00-0000    | B       |     | 20.394 | 2.667 | 0.748 | NONE          |
|                                      |             | 00-0000    | R       |     | 23.622 | 3.071 | 0.748 | NONE          |
|                                      |             | 00-0000    | B       |     | 24.331 | 2.667 | 0.748 | NONE          |
| MU408                                | 00-0000     | 00-0000    | B       |     | 24.331 | 2.667 | 0.748 | NONE          |
|                                      |             | 00-0000    | R       |     | 31.496 | 3.071 | 0.748 | NONE          |
|                                      |             | 00-0000    | B       |     | 32.205 | 2.667 | 0.748 | NONE          |
|                                      |             | 00-0000    | B       |     | 32.205 | 2.667 | 0.748 | NONE          |
| MU410                                | 00-0000     | 00-0000    | R       |     | 19.685 | 3.071 | 0.748 | NONE          |
|                                      |             | 00-0000    | B       |     | 20.039 | 2.667 | 0.748 | NONE          |
|                                      |             | 00-0000    | B       |     | 20.039 | 2.667 | 0.748 | NONE          |
|                                      |             | 00-0000    | R       |     | 23.622 | 3.071 | 0.748 | NONE          |
| MU412                                | 30-8968     | 30-8969    | B       |     | 23.976 | 2.667 | 0.748 | NONE          |
|                                      |             | 30-8970    | B       |     | 23.976 | 2.667 | 0.748 | NONE          |
|                                      |             | 30-9171    | R       |     | 31.496 | 3.070 | 0.748 | 4H            |
| MU508                                |             | 30-9172    | B       |     | 32.598 | 3.071 | 0.785 | 3H            |
| MU520                                | 30-9187     | 30-9187    | R       | 6   | 31.500 | 3.375 | 0.750 | NONE          |
|                                      |             | 30-9316    | Rev Bed | 2   | 31.500 | 2.760 | 0.760 | NONE          |
|                                      |             | 30-9315    | DB Bed  | 2   | 31.500 | 2.925 | 0.751 | NONE          |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL                       | OEM PART # | D & S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------|------------|--------------|-------|-----|--------|-------|-------|---------------|
| <b>PREVIERO - continued</b> |            |              |       |     |        |       |       |               |
| MU610                       |            | 30-8955      | R     | 6   | 19.665 | 4.251 | 0.944 | 4S            |
| MU610                       |            | 30-8956      | B     | 4   | 20.236 | 3.464 | 0.944 | 4S            |
| MU 712                      |            | 30-8583      | R     |     | 23.622 | 3.860 | 0.945 | N             |
| MU 712                      |            | 30-8582      | B     |     | 24.312 | 3.070 | 0.945 | N             |
| MU812                       |            | 30-9270      | RREV  | 12  | 23.622 | 3.858 | 0.944 | N             |
|                             |            | 30-9271      | B     | 4   | 24.172 | 3.858 | 0.944 | 4S            |
| MU916                       |            | 30-8935      | R     | 14  | 31.485 | 3.858 | 0.945 | N             |
|                             |            | 30-8936      | B     | 4   | 31.988 | 4.000 | 0.945 | 5S            |
| <b>PROCESS CONTROL</b>      |            |              |       |     |        |       |       |               |
| <b>MODEL ` 5'</b>           |            |              |       |     |        |       |       |               |
|                             | K0133      | 30-6853      | R REV | 2   | 7.530  | 2.910 | 0.500 | 3H            |
|                             |            | 30-6853C     | R REV | 2   | 7.530  | 2.910 | 0.500 | 3H            |
|                             |            | 30-6918      | B     | 1   | 7.878  | 2.438 | 0.468 | 4S            |
|                             | K0134      | 30-6918C     | B     | 1   | 7.878  | 2.438 | 0.468 | 4S            |
| 10x12                       | K0131      | 30-6854      | R REV | 3   | 11.500 | 3.937 | 0.563 | 4H            |
|                             | K0145      | 30-6854C     | R REV | 3   | 11.500 | 3.937 | 0.563 | 4H            |
|                             | K0132      | 30-6917      | B     | 1   | 11.875 | 3.438 | 0.563 | 6S            |
|                             | K0144      | 30-6917C     | B     | 1   | 11.875 | 3.438 | 0.563 | 6S            |
| 6.5 X 16                    | K0142      | 30-8303      | R     |     | 15.625 | 3.250 | 0.562 | 2H            |
|                             | K0141      | 30-8304      | B     |     | 15.900 | 2.500 | 0.562 | 4S            |
| 12x18                       | K0136      | 30-6855      | R REV | 3   | 17.500 | 3.937 | 0.563 | 5H            |
|                             | K0139      | 30-6855C     | R REV | 3   | 17.500 | 3.937 | 0.563 | 5H            |
|                             |            | 30-8565      | R REV | 3   | 17.500 | 3.642 | 0.562 | 5H            |
|                             | K0187      | 30-8565C     | R REV | 3   | 17.500 | 3.642 | 0.562 | 5H            |
|                             |            | 30-8566      | B     | 3   | 17.875 | 3.188 | 0.562 | 7S            |
|                             | K0188      | 30-8566C     | B     |     | 17.875 | 3.188 | 0.562 | 7S            |
|                             | K0135      | 30-6919      | B     | 1   | 17.875 | 2.938 | 0.563 | 7S            |
|                             | K0140      | 30-6919C     | B     | 1   | 17.875 | 2.938 | 0.563 | 7S            |
| 15x27                       | K0138      | 30-6971      | R REV | 3   | 26.500 | 3.938 | 0.625 | 5H            |
|                             | K0149      | 30-6971C     | R REV | 3   | 26.500 | 3.938 | 0.625 | 5H            |
|                             | K0137      | 30-6970      | B     | 2   | 26.625 | 3.218 | 0.625 | 9S            |
|                             | K0148      | 30-6970C     | B     | 2   | 26.625 | 3.218 | 0.625 | 9S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL               | OEM PART #      | D&S PART # | KNIFE   | QTY    | L      | H      | W     | HOLE/<br>SLOT |
|---------------------|-----------------|------------|---------|--------|--------|--------|-------|---------------|
| <b>RAPID</b>        |                 |            |         |        |        |        |       |               |
| 9x12 GK750          | 124-03-0016     | 30-8320    | R HS    | 4      | 11.625 | 2.680  | 0.551 | 2S            |
| MORE RAPID          |                 | 30-8321    | B       | 2      | 12.625 | 1.875  | 0.551 | 2H            |
| 1012 GK 3026 3-7533 |                 | 30-9127    | R       | 3      | 11.830 | 2.875  | 0.551 | 2S            |
| 1013 GK 3026 3-7534 |                 | 30-9128    | B       | 2      | 12.795 | 2.874  | 0.551 | 2S            |
| GK100               | 30-8299         | 30-8299    | R HS    | 4      | 11.637 | 2.688  | 0.552 | 2S            |
| GK50, GK75, 100C    |                 | 30-8300    | B       | 2      | 12.582 | 12.582 | 0.552 | 2H            |
| GK150,GK250         |                 | 30-8154    | B       | 2      | 12.750 | 1.875  | 0.551 | 2H            |
| 150-E               |                 | 30-6516    | R HS    | 4      | 11.653 | 2.656  | 0.551 | 2S            |
| HOTMELT             | 371-00-00875-2  | 30-6517    | B       | 2      | 15.019 | 1.703  | 0.563 | 2H            |
| GK-600R             |                 | 30-6537    | R KE    | 10     | 11.732 | 1.889  | 0.594 | N             |
|                     |                 | 30-6511    | B       | 2      | 25.000 | 1.875  | 0.550 | N             |
|                     |                 | 30-8092    | B       | 2      | 25.071 | 1.875  | 0.551 | N             |
|                     | 371-00-00761-2  | 30-6536    | R RAD   | 10     | 11.732 | 1.889  | 0.594 | N             |
| ALL 600+650 SERIES  |                 | 30-7505    | B       | 2      | 24.969 | 1.870  | 0.550 | 3S            |
|                     |                 | 30-4638    | B       | 2      | 28.750 | 1.870  | 0.516 | 3S            |
| GK-600V             |                 | 30-7409RH  | R RH HS | 4 RH   | 11.734 | 2.875  | 0.551 | 3S            |
|                     | 371-07-001105-3 | 30-7408LH  | R LH HS | 4 LH   | 11.734 | 2.875  | 0.551 | 3S            |
|                     |                 | 30-6511    | B       | 2      | 25.000 | 1.875  | 0.550 | N             |
|                     |                 | 30-8092    | B       | 2      | 25.071 | 1.875  | 0.551 | N             |
|                     |                 | 30-6536    | R RAD   | 8      | 11.732 | 1.889  | 0.582 | N             |
| GK-600E             | 371-07-00760-3  | 30-6511    | B       | 2      | 25.000 | 1.875  | 0.550 | N             |
|                     |                 | 30-8092    | B       | 2      | 25.071 | 1.875  | 0.551 | N             |
|                     |                 | 30-7005    | R LH KE | 5      | 11.938 | 3.219  | 0.550 | 3S            |
|                     |                 | 30-7006    | R RH KE | 5      | 11.938 | 3.219  | 0.550 | 3S            |
| GK-650, 12X24C      | 30-8092         | 30-8092    | B       | 2      | 25.071 | 1.875  | 0.551 | N             |
|                     |                 | 30-4913LH  | R LH HS | 5 HS   | 11.978 | 3.000  | 0.551 | 3S            |
|                     |                 | 30-4913RH  | R RH HS | 5 HS   | 11.978 | 3.000  | 0.551 | 3S            |
|                     |                 | 30-6511    | B       | 2      | 25.000 | 1.875  | 0.550 | N             |
|                     | 371-07-00760-3  | 30-9354    | R       | 6 , 10 | 23.624 | 3.745  | 0.945 | 3S            |
| 600/120             |                 | 30-9353    | B       | 4      | 23.942 | 2.758  | 0.787 | 4S            |
|                     |                 | 30-9286    | R       | 10     | 29.528 | 3.740  | 0.945 | 4S            |
|                     |                 | 30-9287    | B       | 4      | 29.842 | 2.756  | 0.787 | 5S            |
| 600/150             | S124-03-0131    | 30-9286    | R       | 10     | 29.528 | 3.740  | 0.945 | 4S            |
|                     | S124-04-0092    | 30-9287    | B       | 4      | 29.842 | 2.756  | 0.787 | 5S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| MODEL             | OEM PART #         | D&S PART # | KNIFE | QTY | L      | H     | W     | HOLE/<br>SLOT |
|-------------------|--------------------|------------|-------|-----|--------|-------|-------|---------------|
| RAPID - continued |                    |            |       |     |        |       |       |               |
| GK750 9X12        | 124-03-0016        | 30-8320    | R HS  | 4   | 11.625 | 2.680 | 0.551 | 2S            |
|                   |                    | 30-8321    | B     | 2   | 12.625 | 1.875 | 0.551 | 2H            |
| 18X24             | 2-11571            | 30-8483    | R REV | 10  | 11.676 | 3.281 | 0.710 | 2S            |
|                   |                    |            | R HS  | 6   | 11.676 | 3.268 | 0.710 | 2S            |
| 1418              | 2-11572            | 30-8484    | B     | 2   | 24.062 | 3.275 | 0.712 | 3S            |
|                   |                    | 30-8586    | R     | 3   | 17.531 | 3.819 | 0.708 | 3S            |
| 1418K             |                    | 30-8111    | B     | 2   | 18.500 | 1.937 | 0.562 | 7S            |
|                   |                    | 30-9173    | R     |     | 17.531 | 3.819 | 0.708 | 3S            |
|                   |                    | 30-9174    | B     |     | 18.500 | 3.267 | 0.712 | 3S            |
|                   |                    | 30-8380    | R     | 6   | 15.325 | 3.186 | 0.783 | 3S            |
| CONAIR/RAPID 1836 | 3-11108<br>3-11109 | 30-8607LH  | R LH  | 5   | 15.354 | 3.740 | 0.787 | 3S            |
|                   |                    | 30-8607RH  | R RH  | 5   | 15.354 | 3.740 | 0.787 | 3S            |
|                   |                    | 30-8381    | B     | 2   | 31.320 | 2.752 | 0.787 | 4S            |
| GK-1000H          |                    | 30-8869LH  | R LH  | 3   | 18.125 | 3.150 | 0.787 | 3S            |
|                   |                    | 30-8869RH  | R RH  | 3   | 18.125 | 3.150 | 0.787 | 3S            |
|                   |                    | 30-4912-3  | R HS  | 10  | 20.591 | 3.750 | 0.945 | 4S            |
|                   |                    | 40-6166    | B     | 2   | 44.188 | 1.815 | 1.176 | 7H            |
|                   |                    | 40-6165    | B     | 1   | 41.750 | 2.136 | 1.341 | 9S            |
|                   |                    | 30-6747    | R HS  | 10  | 20.687 | 3.750 | 0.944 | 4S            |
| GK1000R           |                    | 30-9179    | R     |     | 13.708 | 2.437 | 0.710 |               |
| 2442-RS           |                    | 40-6167    | R HS  | 20  | 10.281 | 3.750 | 0.945 | 3S            |
|                   |                    | 40-6166    | B     | 2   | 44.188 | 1.815 | 1.176 | 7H            |
|                   |                    | 40-6165    | B     | 1   | 41.750 | 2.136 | 1.341 | 9S            |
|                   |                    | 30-9258    | B     | 6   | 18.014 | 2.756 | 0.773 | 3S            |
| 45 / 60           |                    | 30-9259RH  | R     | 3   | 18.085 | 3.150 | 0.790 | 3S            |
|                   |                    | 30-9259LH  | R     | 3   | 18.085 | 3.150 | 0.790 | 3S            |
| ROTOGRAN          |                    |            |       |     |        |       |       |               |
| RO-3348           |                    | 30-8529    | R     |     | 11.812 | 3.500 | 1.000 | 3H            |
| WO 1418 TF        |                    | 30-9146    | R     | 6   | 18.312 | 2.625 | 0.750 | 6H            |
|                   |                    | 30-9183    | B     |     | 18.270 | 2.625 | 0.750 | 6S            |
| WO1424            |                    | 30-8528    | B     |     | 23.875 | 3.500 | 1.000 | 8S            |

**Hyde Industrial Blade Solutions — Solutions You Can Count On!™**

# Hyde D&S Granulator Knives

## PLASTICS GRANULATING

| <u>MODEL</u>                | OEM PART # | D & S PART # | KNIFE | QTY  | L      | H     | W     | HOLE/<br>SLOT |
|-----------------------------|------------|--------------|-------|------|--------|-------|-------|---------------|
| <b>ROTOGRAN - continued</b> |            |              |       |      |        |       |       |               |
| WO 2224                     |            | 30-9059      | R     |      | 11.750 | 2.500 | 0.750 | 3H            |
|                             |            | 30-9060      | B     |      | 23.828 | 3.014 | 1.001 | 8S            |
| 3036                        |            | 30-9139LH    | R REV | 5 LH | 13.000 | 3.715 | 1.000 | 3H            |
| 3036                        |            | 30-9139RH    | R REV | 5 RH | 13.000 | 3.715 | 1.000 | 3H            |
|                             |            | 30-9140      | B     | 2    | 23.875 | 4.000 | 1.000 | 8S            |
|                             |            | 30-9014LH    | R     | 3    | 11.962 | 3.500 | 1.000 | 3H            |
|                             |            | 30-9014RH    | R     | 3    | 11.962 | 3.500 | 1.000 | 3H            |
|                             |            | 30-9015CTR   | R     | 3    | 11.960 | 3.500 | 1.000 | 3H            |
|                             |            | 30-9016      | B     | 4    | 17.875 | 4.000 | 1.000 | 5S            |
|                             |            | 30-9411LH    | R     |      | 11.962 | 3.500 | 1.250 | 3H            |
|                             |            | 30-9411RH    | R     |      | 11.962 | 3.500 | 1.250 | 3H            |
|                             |            | 30-9411CNT   | R     |      | 11.960 | 3.500 | 1.250 | 3H            |
| RO 3336                     |            | 30-8852      | R     |      | 11.790 | 3.500 | 1.000 | 3H            |
| RO 3336                     |            | 30-8850      | B     |      | 17.875 | 3.500 | 1.000 | 5S            |
| RO 3336                     |            | 30-8853      | B     |      | 23.675 | 3.500 | 1.000 | 8S            |
| RO-3360                     |            | 30-8529      | R     | 25   | 11.812 | 3.500 | 1.000 | 3H            |
|                             |            | 35-0614      | B     | 6    | 19.875 | 3.500 | 1.000 | 5             |
| <b>TRIPLE "S"</b>           |            |              |       |      |        |       |       |               |
| 24                          |            | 30-4556-2    | R RAD | 5    | 24.062 | 2.250 | 0.800 | 8H            |
|                             |            | 30-6242      | B     | 2    | 24.125 | 3.750 | 0.750 | 8S            |
| 48                          |            | 30-4932R     | R RAD | 6,10 | 24.000 | 3.000 | 0.750 | 7H            |
|                             |            | 30-4932B     | B     | 4    | 24.250 | 4.000 | 0.875 | 7S            |
| <b>ZENO</b>                 |            |              |       |      |        |       |       |               |
| SHREDDER                    |            | 30-8847      | R     | 35   | 3.780  | 1.965 | 1.375 | 2H            |
|                             | 800K432G   | 30-9378      | R     | 8    | 39.967 | 3.947 | 0.556 |               |
|                             | 800K433G   | 30-9379      | B     | 1    | 41.021 | 2.181 | 0.790 |               |
|                             |            | 30-8830      | R     | 4    | 20.780 | 5.470 | 0.770 |               |
|                             |            | 30-8831      | B     | 1    | 21.276 | 2.188 | 0.756 |               |

Company Name: \_\_\_\_\_


Contact: \_\_\_\_\_

Phone: \_\_\_\_\_



Granulator Mfg. \_\_\_\_\_

Model # \_\_\_\_\_

### Choose an Edge Profile



### Choose a Hole Geometry



### Fill In The Dimensions

| ROTOR KNIVES - QTY _____ / SET |             |                  |                         |                            |                   |                   |                |                                 |  |
|--------------------------------|-------------|------------------|-------------------------|----------------------------|-------------------|-------------------|----------------|---------------------------------|--|
| A<br>Length                    | B<br>Height | C<br>Heel to Toe | D<br>Thru Hole Diameter | E<br>Counter Sink/Bore Dim | F<br>Hole to Hole | G<br>Edge to Hole | H<br>Thickness | I<br>Angle(s) Primary/Secondary |  |
|                                |             |                  |                         |                            |                   |                   |                |                                 |  |

| BED KNIVES - QTY _____ / SET |             |                   |                    |                  |                   |                   |                |            |  |
|------------------------------|-------------|-------------------|--------------------|------------------|-------------------|-------------------|----------------|------------|--|
| A<br>Length                  | B<br>Height | C<br>Heel to Slot | D<br>Slot Diameter | J<br>Slot Length | F<br>Slot to Slot | G<br>Edge to Slot | H<br>Thickness | I<br>Angle |  |
|                              |             |                   |                    |                  |                   |                   |                |            |  |

Are the knives being measured NEW \_\_\_\_\_ or USED \_\_\_\_\_

# Hyde Granulator Knives

PLASTICS GRANULATING

## Hyde Granulator Knives Offer Industry Leading Performance

What makes Hyde granulator knives perform beyond expectations? Start with the best grades of steel available. Cut the blank shape. Choose the correct knife profile. Heat treat the blank to maximize the life of the cutting edge. Machine it to exacting tolerances. Then guarantee performance. Every Hyde granulator knife is manufactured with these values.

*For just about any plastic recycling application, Hyde has you covered. Send us your granulator knife requirements or, if you like, we can help you design your own specific solution. With well over a century of machine knife experience, Hyde can assist you in reaching your desired results. Most quote requests are answered in 48 hours or less.*

---

Hyde Tools, Inc. is ISO9001 Registered

